

**LOUISVILLE AND NASHVILLE RAILROAD COMPANY**

**FREIGHT, PASSENGER AND WORK EQUIPMENT**

**JANUARY 1, 1960**

---

**This List Supersedes all Others of Previous Date**

# LOUISVILLE AND NASHVILLE RAILROAD COMPANY

OFFICE OF THE SUPERINTENDENT-OF-CAR-SERVICE.

Louisville, Ky., Jan. 1, 1960

File 10

The Equipment of this Company is Marked "L. & N." and "N. C. & St. L." and Numbered as follows:

## FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars	
		Inside			Outside					Doors				Cable Feet	Pounds		
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End					
							To Eaves	To Top of Platform or Running Board	To over all	Width	Height	Width	Height				
L&N	See Note M	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.	ft. In.
Box, steel.....	4000 to 7109	40 6 9 2	10 6	41 10	9 4	14 5	15	15	8	9 10			3,899	100000	2961		
" "	7200 to 7424	40 6 9 2	10 6	41 10	9 11	14 3	15	15	8	9 10			3,899	100000	223		
Vent Box, steel underframe, steel ends, steel body frame.....	7500 to 7505	40 6 8 6	8 6	42 3	8 11	12 10	13 4	13 4	6	8 1			2,936	100000	5		
Box, steel underframe, steel ends, steel body frame.....	7520 to 7524	40 6 8 6	8 6	42 6	8 11	12 11	13 4	14	6	8			2,926	100000	5		
" " " "	7525 to 7530	40 6 8 6	8 6	42 3	8 11	12 10	13 4	14	6	8 1			2,936	100000	6		
Box, steel, underframe, steel ends, steel body frame, stag doors.....	7531 to 7537	40 6 9	10	42 3	9 6	12 2	14 10	15 6	12	9 6			3,645	100000	6		
" " " "	7538 to 7541	40 6 9	10	42 3	10 1	13 8	14 10	15 6	10	9 7			3,620	100000	4		
" " " "	7542	40 6 9	10 5	42 3	9 8	14 7	15 4	15 4	12	9 6			3,798	100000	1		
Box, steel underframe, steel ends, steel body frame.....	7576 to 7999	40 6 8 6	8 6	42 3	8 11	12 10	13 4	13 4	6	8 1			2,936	100000	10		
Box, steel.....	8750 to 8999	40 6 9 2	10 6	41 10	9 6	12 2	15	15	9	9 10			3,899	100000	250		
Box, steel underframe, steel body frame, stag doors.....	9876	50 4 9	9 6	52	9 6	13 10	14 5	15 1	10	8 10			4,287	100000	1		
Box, steel.....	13000 to 13373	40 6 8 9	9 4	41 9	9	13 1	14	14	6	8 9			3,311	80000	27		
" "	13400 to 13884	40 6 9 2	10	41 9	9 4	13 11	14 6	14 6	6	9 4			3,714	80000	50		
" "	13950 to 14592	40 6 9 2	10 6	41 10	9 10	13 11	15	15	6	9 10			3,888	100000	38		
" "	14600 to 14999	40 6 9 2	10 6	41 10	9 4	14 5	15	15	6	9 10			3,899	100000	398		
" "	15000 to 16799	40 6 9 2	10 6	41 9	9 10	14	15	15	6	9 10			3,899	100000	1750		
" "	16800 to 18399	40 6 9 2	10 6	41 10	9 11	13 11	15	15	6	9 10			3,899	100000	1569		
" "	18400 to 18888	40 6 9 2	10 6	41 10	9 5	14 5	15	15	6	9 10			3,899	100000	55		
Stock, steel underframe, steel body frame	19500 to 19999	40 6 8 7	8 6	42 3	9 1	12 6	13 3	14	6	8 1			2,974	80000	62		
Pulpwood, Steel..	19800 to 19999	38 4 8 8	7	43 4	8 8	11 2		11 2					2,320	100000	200		
" steel underframe..	20000 to 20099	40	9 2	6	40 11	9 3	9 10						2,000	80000	1		
" " "	20283 to 20299	34	8 10		37 8	8 10							80000				
" " "	20300 to 20349	37 1 9	7 9	40 4	8 6	11 8							2,420	100000	1		
Pulpwood, steel....	20500 to 20949	38	8 8	7	43 4	8 8	11 1						2,306	100000	450		
" " "	20950 to 20981	38	8 8		43 3	8 8							100000				
Flat steel.....	21000 to 21399	52 1 9 2		54 2	10 6	3 8	3 8	5 3					100000		331		
" "	21400 to 21499	53 6 10 6		54 3	9 4	3 8	3 8	4 11					100000		100		
" "	22000 to 22249	45 5 9 4		47 7	9 7	3 9	3 9	5 9					100000		246		
" "		46 9 9 7															
Pulpwood, steel..	23000 to 23699	41 6 9 2	8	48	8 8	12 5		12 5					2,875	140000	700		
Flat, steel underframe..	24200 to 24293	40 4 9		40 9	9	3 8		6 3					100000				
" " " " Note L	24297 to 24299	40 4 9		40 9	9	3 8		6 3					100000		3		
Flat steel.....	24300 to 24819	45 5 9 4		47 7	9 7	3 9	3 9	5 9					100000		479		
" "		46 9 9 7															
Tote, Flat, Steel.	24820 to 24824	53 6 10 6		54 2	10 6	3 8	3 8	5 3					100000				
" " "	24875 to 24891	53 6 10 6		54 2	10 6	3 8	3 8	5 3					100000		17		
Forward.....															9949		

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars.			
		Inside			Outside						Doors			Cubic Feet	Pounds				
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End							
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	To Eaves	To Top of Platform or Running Board	To over all		Width	Height	Width
Brought Forward																			9949
Wallboard, Flat, Steel	24900 to 24917	48 0	9 2	6 6	54 2	10 6	10 2	10 2	10 2									100000	18
Tote, Flat, Steel	24920 to 24949	46 9	10 6		47 7	10 6	3 9	5 4										100000	30
Flat, steel, Note A...	24950 and 24951	40 8	9 4		43 3	9 7	3 9	3 9	5 9									155000	2
Wallboard, Flat, Steel, Note N...	24957 to 24989	48 6	9 2	6 6	54 2	10 6	10 2	10 2										100000	33
Flat, depressed steel, Note B...	24996 and 24997	57 9	9		58 4	9	9	4 2	5 10									250000	2
Pit, steel, Note C...	24998	15	7 10	2 6	35 9	10	4	4	6 1								358	100000	1
Mill, gondola, low side, steel, drop ends, Note D...	25000 to 25099	65 6	7 9	3 6	68 1	8 7	7 1	7 1									1,776	140000	99
" " " Note D...	25100 to 25299	65 6	7 9	3 6	67 4	8 7	7	7 2									1,776	140000	199
Mill, Gondola, all steel low side, drop ends...	25300 to 25799	45	9 6	3	47 7	10 4	6 6	6 6	6 6								1,282	140000	487
Mill, Gondola, low side, steel underframe, drop ends...	25800 to 25999	45	8 11	2 6	47 7	9 4	6 3	6 3	6 3								1,011	100000	41
Mill, Gondola, low side, steel, balanced drop ends...	26000 to 26199	65 6	7 9	3 6	68 1	8 6	7	7									1,776	140000	199
Mill, Gondola, steel, drop ends...	26200 to 26224	65 6	7 9	3 6	67 4	8 6	7	7 2									1,777	140000	
Gondola, steel Note G...	26260 to 26262	45	9 6	4	47	10 5	7 7	7 7									1,710	140000	3
Mill Gondola, steel, Note G...	26263 to 26269	52 6	9 6	3 3	54 5	10 5	7	7	7								1,632	140000	7
Mill, Gondola, steel, Note F...	26285 to 26288	52 6	9 6	3 3	54 5	10 5	7	7	9 10								1,632	140000	4
Mill, Gondola, steel, Note G...	26295 to 26299	52 6	9 6	3 3	54 5	10 5	7	7									1,632	140000	5
Mill, Gondola, low side, steel underframe, drop ends...	26300 to 26999	38 1	8 7	1 6	40 4	9	5 5	5 5	5 11								497	100000	69
Coal Hopper, steel...	27000 to 28999	30 6	9 5		31 11	10 2	10 8	10 8									1,880	100000	141
Gondola, solid ends, solid bottom, steel...	29000 to 29949	40 6	9 5	4 7	42 2	10 3	8 1	8 1									1,765	100000	485
Sludge Gon, Steel	29951 to 29999	40 6	9 5	4 7	42 2	10 3	8 1	8 1									1,765	100000	49
Coke, steel underframe, solid bottom	30100 to 30299	40 6	8 6	8 6	42 6	8 11	12 11	13 4	14	6	8						2,926	100000	2
Coke, solid bottom, steel underframe, steel end frame...	30441	40	9	7 4	40 11	9 3	11 3	12		4 9	4 9						2,650	80000	1
Coke, steel	30550 to 30699	40 6	9 4	9 3	41 9	9	13	13 6		3 3	5 1						3,310	100000	150
Chipwood Hopper Steel...	30873 to 30999	34	10 1		35 1	10 3	15 6	15 6									3,620	100000	127
Coal Hopper S.U. steel	31000 to 31999	33	9 6		34	10 5	10 8	10 8									1,970	100000	737
" " steel	32000 to 33999	33	10 4		34	10 5	10 8	11 11									2,145	100000	1968
" " steel	34000 to 35999	34 11	9 7		36	10 5	10 8	11 11									2,142	100000	1972
Gondola, solid bottom and ends, steel...	36000 to 37099	45	9 6	4 0	47 0	10 5	7 7	7 7									1,710	140000	1097
Covered Hopper, steel...	37400 to 37507	41 0	9 11		47 1	10 8	12 7	13 3	13 3								3,215	140000	108
" " " "	37508 to 37549	41 0															140000		
" " " "	37550 to 37649	41 0	9 9		47 1	10 5	12 1	12 11	12 11								2,927	140000	100
Covered Hopper, steel...	37650 to 37749	41	9 9		47 1	10 5	12 1	12 10	13 2								2,927	140000	100
Covered hopper, steel...	37750 to 37849	41	9 5		47 1	10 2	12 2	13 1	13 2								2,893	140000	100
Covered hopper, steel...	37850 to 38074	29 3	9 5		35 3	9 9	12 2	12 10	13 2								1,892	140000	223
Covered hopper, steel...	38075 to 38299	29 3	9 5		35 3	9 10	12 6	12 10	13 2								1,892	140000	223
" " " "	38300 to 38524	29 3	9 5		35 3	9 7	12 3	12 10	12 10								1,958	140000	1
" " " "	38525 to 38539	35	9 8		36	10 5	10 8	11 7	11 7								2,143	100000	
Mill Gondola, steel, drop ends...	38900 to 38999	65 6	7 9	3 6	68 1	8 6	7	7									1,776	140000	100
Forward																			18832

## FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars.	
		Inside			Outside						Doors			Cubic Feet	Pounds		
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End					
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.		ft. in.
L&N	See Note M																
Brought Forward																	18832
Mill, Gondola, steel, fixed ends	39000 to 39499	52 6	10 4	3 6	54 6	10 4	7 1		7 1						1,637	140000	499
Mill Gondola, steel, fixed ends, nailable steel floors	39500 to 39749	52 6	9 6	3 3	54 5	10 5	7	7	7						1,632	140000	236
Mill Gondola, steel, fixed ends, composite floor	39750 to 39999	52 6	9 6	3 3	54 5	10 5	7	7	7						1,632	140000	243
Auto, Steel, Stag Doors Note P	46400 to 46549	40 6	9 2	10 6	41 9	9 4	14 4	15	15	14	9 10				3,899	100000	128
Box, steel, Note Q	46800 to 46799	40 6	9 2	10 5	41 10	9 10	13 12	15	15	8	9 10				3,890	100000	193
Box, all steel, stag doors and end doors	46800 to 46899	40 6	9 2	10	42 3	9 2	14 3	14 8	14 8	12 6	9 5	9 2	9 8		3,713	100000	98
Gondola, steel, solid ends: solid bottom	47019 to 47499	42	9 5	4 8	43 5	10 3	8 2		8 2						1,848	100000	33
Gondola, Solid Bottom, steel	47500 to 47991	42	9 5	4 8	43 5	10 3	8 2		8 2						1,848	100000	40
Gondola, Solid Bottom, steel	48000 to 48145	42	9 5	4 8	43 5	10 3	8 2		8 2						1,848	100000	10
Gondola, solid bottom steel	48200 to 49999	40 6	9 5	4 7	42 2	10 3	8 1		8 1						1,765	100000	568
Gondola, D. B., flat bottom, steel	50000 to 56499	40 6	9 5	4 7	42 2	10 3	8 1		8 1						1,765	100000	950
Mill, Gondola, steel, solid bottom, fixed ends	56500 to 56699	40 1	9 6	2 2	42	10 5	5 9		5 9						825	100000	200
Gondola, steel, Note S	56790 to 56799	52	9 3	5 1	54 6	10 4	8 11		8 11						2,465	140000	1
Mill Gondola, steel, Note T	56965 to 56999	52 1	8 10	4 6	54 5	10 3	8 3		8 3						2,070	140000	.....
Ore, hopper steel	57000 to 57249	29 8	9 7		36	10 5	10 8		10 8						1,629	180000	243
Gondola, D. B., flat bottom steel	57400 to 59999	40 6	9 5	4 7	42 2	10 3	8 1		8 1						1,765	100000	155
Coal, hopper, steel	60000 to 62699	33	10 4		34 1	10 5	10 8		10 8						2,145	100000	2611
" " "	62700 to 63899	33	10 4		34 1	10 5	10 8		11 11						2,145	100000	1176
" " "	63900 to 71149	33	10 4		34	10 5	10 8		11 11						2,145	100000	7067
" " "	71150 to 71391	33	9 10		34	10 5	10 8		10 8						2,050	100000	239
" " "	71392 to 72129	33	9 10		34 0	10 5	10 8		10 8						2,050	100000	1
" " "	72200 to 72399	33	10 4		34	10 5	10 8		11 11						2,191	100000	92
" " "	72999 to 74999	42 10	9 8		43 10	10 6	10 8		10 8						2,750	140000	1997
" " "	75000 to 75999	30 8	9 5		31 11	10 2	10 8		10 8						1,880	100000	110
" " "	75000 to 76120	30 6	9 5		31 11	10 4	10 8		11 4						1,880	100000	5
" " "	76150 to 81949	33	10 4		34	10 5	10 8		11 11						2,145	100000	5696
" " "	81950 to 82199	33	10 4		34	10 5	10 8		10 8						2,145	100000	240
" " "	82200 to 85199	35	9 7		36	10 5	10 8		12						2,143	100000	2977
" " "	85200 to 85582	35	9 8		36	10 5	10 8		10 8						2,143	100000	14
" " "	85600 to 85648	34 9	10 1		36	10 2	10 8		10 8						2,230	100000	23
" " "	85650 to 87999	30 6	9 5		31 11	10 2	10 8		10 8						1,880	100000	77
" " "	88000 to 88995	33	10 4		34	10 5	10 8		10 8						2,145	100000	270
" " "	89000 to 89999	30 6	9 5		31 11	10 2	10 8		10 8						1,880	100000	38
Box, steel	90000 to 91343	40 6	9 2	10	41 9	9 5	13 11	14 7	14 7	6	9 4				3,713	100000	1309
Box, steel, stag door	91350 to 91369	40 6	9 2	10 6	41 9	9 5	14 4	15	15	14	9 10				3,899	100000	20
Box, steel	93000 to 94199	40 6	9 2	10	42 6	9 2	14 3	14 7	14 7	6	9 4				3,713	100000	530
" " "	94200 to 95541	40 6	9 2	10	42 3	9 2	14 3	14 7	14 7	6	9 4				3,713	100000	640
" " "	95800 to 97091	40 6	9 2	10	42 6	9 2	14 3	14 7	14 7	6	9 4				3,713	100000	1244
" " Note H	97100 to 97199	50 6	9	10 5	51 10	9 4	14 3	15	15	9	9 9				4,731	100000	99
" " Note H	97200 to 97309	50 6	9	10 5	51 10	9 10	14	15	15	9	9 9				4,834	100000	110
" " Note U	97310 to 97349	50 6	9	10 5	51 10	9 4	14 3	15	15	15	9 9				4,834	100000	40
" " Note V	97350 to 97399	50 6				9 10	14								100000		.....
" " "	98000 to 98099	50 6													100000		.....
Box, steel, stag door	98100 to 98599	50 6	9 2	10 6	51 10	9 4	14 3	15	15	15	9 10				4,844	100000	479
Forward																	49533

**FREIGHT EQUIPMENT**

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars.								
		Inside			Outside						Doors		Cubic Feet	Pounds										
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail		Width	Height	Width	Height												
ft. in.	ft. in.						ft. in.	ft. in.					ft. in.	To Eaves	To Top of Platform or Running Board	To over all	ft. in.	ft. in.	ft. in.	ft. in.				
<b>L&amp;N</b>																								
See Note M																								
Brought Forward	98600 to 99099	50	6	9	2	10	6	51	10	9	4	14	5	15	15	12	6	9	10	4,844	100000	49533		
Box, steel, stag door	99100 to 99199	50	6	9	2	10	4	51	9	9	11	14	5	14	11	14	11	12	6	9	9	4,784	100000	499
Box, steel, stag doors	99200 to 99499	50	6	9	2	10	6	51	10	10	3	13	10	15	15	12	6	9	10	4,844	100000	98		
Box, steel, stag door	99500 to 99549	50	6	9	2	10	6	51	9	9	4	14	5	15	15	12	6	9	10	4,844	100000	208		
Auto, steel stag doors	99550 to 99559	50	6	9	1	10	6	51	9	9	11	14	4	15	15	15	9	10	10	4,862	100000	38		
Loading Device "F"	99580 to 99599	50	6	9	2	10	6	51	10	9	4	14	3	15	15	15	9	10	10	4,844	100000	10		
Note E						9	8			9	10	14								4,460	100000	20		
Box, steel	99600 to 99638	50	6	9	2	10	6	51	9	9	4	14	4	15	15	15	9	10	10	4,860	100000	1		
Box, steel, stag door and end doors	99800 to 99999	50	6	9	2	10	4	52		9	5	14	3	14	11	14	11	12	6	9	9	4,784	100000	190
Coal hopper, steel	150000 to 154999	42	10	9	8			43	10	10	6	10	8		10	8					2,750	140000	2999	
Gondola, SB, steel	170000 to 170899	52	6																			140000		
Coal hopper, steel	180000 to 185999	30	6	9	5			31	11	10	2	10	8		10	8					1,880	100000	304	
Coal hopper, steel	186000 to 186299	34	10	1				35	1	10	3	10	8		10	8					2,092	100000	169	
Hopper, coke racks, steel	186300 to 186331	30	6	9	5			31	11	9	6	12	8		12	8					2,452	100000	4	
<b>Total L&amp;N</b>																							54163	
<b>NC&amp;StL</b>																								
Box, steel	17800 to 17844	39	6	9	2	9	4	40	9	9	5	13	2	13	11	14	6	8	9	3,380	100000	24		
Box, steel	18000 to 18499	40	6	8	9	9	4	41	9	9		13	1	14	14	14	6	8	9	3,311	80000	295		
Box, steel	18500 to 18999	40	6	9	2	10		41	9	9	4	13	11	14	6	14	6	6	9	4	3,714	80000	429	
Box, steel	19000 to 19499	40	6	9	2	10	6	41	10	9	5	14	5	15	15	6	9	10	10	3,899	100000	428		
Box, steel	20000 to 21229	35	3	9	2	9	10	38		9	3	14	2	14	9	14	9	6	9	2	3,275	80000	71	
Box, steel	23000 to 22649	40	6	9	2	10	6	41	10	9	10	13	11	15	15	6	9	10	10	3,888	100000	601		
Mill Gondola, steel, drop ends	41000 to 41024	65	6	7	9	3	6	67	4	8	6	7		7	2					1,777	140000	25		
Gondola, steel, solid ends, solid bottom	42400 to 42599	41	6	9	5	4	10	42	10	10	3	8	3		8	3					1,900	100000	5	
Gondola, steel, solid ends, solid bottom	43200 to 43349	42		9	5	4	8	43	4	10	2	8	2		8	2					1,847	100000	90	
Gondola, steel, solid ends, solid bottom	43500 to 43999	42		9	5	4	8	43	4	10	3	8	2		8	2					1,848	100000	442	
Gondola, steel, solid ends, solid bottom	44000 to 44499	42		9	5	4	8	43	5	10	3	8	2		8	2					1,848	100000	444	
Container, steel, (Note J)		"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	14	
Coal Hopper, steel	46200 to 46234	30	6	9	5			31	11	10	5	10	8		10	8					1,880	100000	1	
Coal Hopper, steel	46500 to 46899	35		9	8			36		10	5	10	8		10	8					2,143	100000	369	
Covered Hopper, Note K		"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	"	15	
Coal Hopper, steel	47000 to 47224	30	6	9	5			31	11	10	4	10	8		11	4					1,880	100000	45	
Coal Hopper, steel	47500 to 47999	33		10	4			34		10	5	10	8		10	8					2,145	100000	437	
Coal Hopper, steel	48000 to 48049	34	9	10	1			36		10	2	10	8		10	8					2,230	100000	23	
Coal Hopper, steel	48100 to 48299	33		10	4			34		10	5	10	8		11	11					2,191	100000	103	
Coal Hopper, steel	48300 to 48799	33		10	4			34		10	5	10	8		10	8					2,145	100000	272	
Covered Hopper, steel	49000 to 49224	29	3	9	5			35	3	9	7	12	3	12	10	12	10					1,958	140000	223
Flat, steel underframe	70100 to 70299	40	4	9				40	9	9		3	8		6	3						100000	56	
Pulpwood, steel underframe	80000 to 80016	34		8	10			37	8	8	10				11	7						80000	16	
Pulpwood, steel	80500 to 80531	38		8	8			43	3	8	8				11							100000	32	
<b>Total NC&amp;StL</b>																							4460	
<b>Grand Total Freight</b>																							58623	

Note A—Flat cars Nos. L&N 24950 and 24951 are equipped with wood loading floor and have 2 six-wheel trucks. Spacing between trucks 28 ft. 6 in.; between axles 4 ft. 6 in. These cars may not be loaded in excess of 100,500 pounds concentrated at the center of car. This load cannot be concentrated on either side of center line of car.

## FREIGHT EQUIPMENT

**Note B**—Dimensions of depressed center cars Nos. L&N 24996 and 24997 are as follows: length of depressed section 21 ft., width of depressed section 9 ft., height of depressed section above top of rail 2 ft., height of ends of car above rail 4 ft. 2 in., width of ends 9 ft. This car is equipped with cast steel loading floor and has 2 six-wheel trucks. Spacing between truck centers 41 ft.; between axles 4 ft. 6 in.; and is designed to carry a load equivalent to the load limit over a distance of 18 ft. at center of car.

**Note C**—Dimensions of pit of Car No. L&N 24998 are as follows: length 14 ft. 8 in.; width 7 ft. 10 in.; depth 2 ft. 6 in.; height from top of rail to bottom of pit floor 10 $\frac{1}{8}$  in., to top of floor 1 ft. 4 $\frac{3}{8}$  in. This car is equipped with steel loading floor and has 2 four-wheel trucks. Spacing between truck centers 24 ft. 6 in.; between axles 5 ft. 6 in.

**Note D**—Cars in series L&N 25000 to 25099 and 25100 to 25299 should be loaded as follows:

Length of Load	Percentage of Stenciled Load Limit
18 ft. or Less.....	61% Maximum
Over 18 ft. to 24 ft.....	72% "
Over 24 ft. to 44 ft.....	77% "
Over 44 ft.....	100% "

**Note E**—Cars in series L&N 99550 to 99559 are equipped with DF type 18 adjustable belt equipment for handling Ford Motor Co. body parts.

**Note F**—Cars numbered L&N 26285 to 26288 are equipped with 9 ft. 10 in. (clear opening) sliding type side doors.

**Note G**—Cars numbered L&N Series 26200 to 26262, 26263 to 26269 and 26295 to 26299 are equipped with special permanent blocking and steel quonset type covers for loading coiled sheet steel.

**Note H**—Cars numbered L&N 97100 to 97199 and 97200 to 97309 are equipped with Evans type 9-belt "DF" loader equipment.

**Note J**—Individual numbers of cars in series NC&StL 44000 to 44499 equipped with ten (10) demountable containers: Capacity of each container 145 cu. ft., light weight of each container 2,030 pounds.

44011	44069	44164	44235	44290	44305	44383
44048	44119	44171	44266	44300	44345	44481

**Note K**—Individual numbers of covered hopper cars in series NC&StL 46500 to 46899:

46518	46550	46554	46561	46564	46567	46570	46610
46545	46552	46556	46563	46565	46569	46602	

**Note L**—Cars in series L&N 24297 to 24299 are equipped with two (2) removable covers to protect airplane parts.

**Note M**—It is proposed to remark and renumber NC&StL freight equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
17800-17844	to 13900-13942	42400-42599	to 48150-48179	46500-46899	to 85200-85582	48300-48799	to 88500-88995
18000-18499	13000-13373	43200-43399	48000-48145	46500-46899	covered hopper } 38525-38539	49000-49224	38300-38524
18500-18999	13400-13884	43500-43999	47500-47991	47100-47224		76000-76120	70100-70229
19000-19499	18400-18888	44000-44499	47019-47499	47500-47999	88000-88494	80000-80016	20283-20299
22000-22649	13950-14592	44000-44499	47000-47016	48000-48049	85600-85648	80500-80531	20950-20981
41000-41024	26200-26224	container cars			48100-48299	72200-72397	

**Note N**—Cars in series L&N 24957 to 24964 and 24975 to 24977 do not have end lockers.

**Note P**—Individual numbers of cars in series L&N 46400 to 46549 equipped with type "F4" Evans Automobile Loading Devices. Other cars in this series are equipped with type "F" Evans Automobile Loading Devices.

46400	46413	46432	46453	46469	46481	46502	46521	46536	46542
46401	to	46437	46456	46470	46482	46507	46522	46537	46544
46403	46417	46439	46457	46472	46485	46508	46526	46538	46545
46406	46419	46443	46459	to	46488	46512	to	46540	46547
46408	46421	to	to	46475	46491	46514	46529	46541	46548
46409	46422	46446	46462	46477	46493	to	46531		
46410	46424	46448	46468	46480	46500	46519	46532		

**Note Q**—Cars in series L&N 46600 to 46799 are equipped with Evans type 19-belt "DF"-2 loader equipment for handling electric appliances.

**Note R**—Cars in series L&N 46800 to 46899 are on order and will have Evans 19-belt "DF"-2 loader equipment.

**Note S**—Cars in series L&N 56790 to 56799 have 7 rows of Sparton Tri-Belts.

**Note T**—Cars in series L&N 56965 to 56999 have 4 movable bulkheads and 3 sectional removable roof covers.

**Note U**—Cars in series L&N 97310 to 97349 are equipped with Evans 7 adjustable "DF" loading belts.

**Note V**—Cars in series L&N 97350 to 97399 are on order.

**Note W**—Three (3) cars in series NC 47500 to 47999 equipped with roof covers 47586, 47609, 47926 and will be renumbered L&N 88492 to 88494.

## RECAPITULATION OF FREIGHT EQUIPMENT.

CLASS OF CAR	Inside Length		Pounds 80,000	Pounds 100,000	Pounds 140,000	Pounds 155,000	Pounds 180,000	Pounds 250,000	Total	Grand Total
	ft.	in.								
Box, Steel.....	36	3	71						71	15050
Box, Steel.....	39	6		24					24	
Box, Steel Underframe.....	40	6		32					32	
Box, Steel.....	40	6	801	12307					13108	196
Box, Steel Underframe.....	50	4		1					1	
Box, Steel.....	50	6		1814					1814	
Auto, Steel.....	40	6		128					128	
Auto, Steel.....	50	6		68					68	
Vent Box, Steel Underframe.....	40	6		5					5	
Stock, Steel Underframe.....	40	6	62						62	62
Pulpwood, Steel Underframe.....	34		16						16	
Pulpwood, Steel Underframe.....	37	1		1					1	1400
Pulpwood, Steel.....	38			482					482	
Pulpwood, Steel.....	38	4		200					200	
Pulpwood, Steel Underframe.....	40		1						1	700
Pulpwood, Steel.....	41	0			700				700	
Flat, Steel Underframe.....	40	4		59					59	2
Flat, Steel.....	42	6				2			2	
Flat, Steel.....	46	9		755					755	1318
Flat, Steel.....	48	6		51					51	
Flat, Steel.....	53	6		448					448	
Flat, Steel.....	57	9					2		2	2413
Flat, Pit, Steel.....	15			1					1	
Mill Gon, Steel Underframe.....	38	1		69					69	2413
Mill Gon, Steel.....	40	1		200					200	
Mill Gon, Steel Underframe.....	45			41					41	1105
Mill Gon, Steel.....	45				487				487	
Mill Gon, Steel.....	52	6			994				994	1105
Mill Con, Steel.....	65	6			622				622	
Gondola, Drop Bottom, Steel.....	40	6		1105					1105	3267
Gondola, Solid Bottom, Steel.....	40	6		1102					1102	
Gondola, Solid Bottom, Steel.....	41	6		5					5	14
Gondola, Solid Bottom, Steel.....	42			1059					1059	
Gondola, Solid Bottom, Steel.....	45				1100				1100	14
Gondola, Solid Bottom, Steel.....	52				1				1	
Gondola, Container, Steel.....	42			14					14	32177
Coal Hopper, Steel Underframe.....	33			737					737	
Coal Hopper, Steel.....	30	6		725					725	153
Coal Hopper, Steel.....	33			20172					20172	
Coal Hopper, Steel.....	34			169					169	1093
Coal Hopper, Steel.....	34	9		46					46	
Coal Hopper, Steel.....	34	11		1972					1972	127
Coal Hopper, Steel.....	35			3360					3360	
Coal Hopper, Steel.....	42	10			4996				4996	1093
Chipwood Hopper, Steel.....	34			127					127	
Covered Hopper, Steel.....	29	3			670				670	153
Covered Hopper, Steel.....	35			15					15	
Covered Hopper, Steel.....	41				408				408	243
Coke, Steel Underframe.....	40		1						1	
Coke, Steel Underframe.....	40	6		2					2	
Coke, Steel.....	40	6		150					150	243
Ore, Steel.....	29	8					243		243	
<b>Totals.....</b>			952	47446	9078	2	243	2	58623	58623

### CABOOSES

Serial Number	Construction	Type	Number Owned
L&N 3 to 228.....	Steel Underframe.....	Standard.....	147
L&N 230 to 259.....	Steel Underframe.....	Terminal.....	26
L&N 260 to 289.....	Steel Underframe.....	Mine Run.....	25
L&N 318.....	Steel Underframe.....	Standard.....	1
L&N 321 to 379.....	Steel Underframe.....	Bay.....	11
L&N 400 to 528 (2-Way Radio).....	Steel Underframe.....	Standard.....	127
L&N 551 to 598.....	Steel Underframe.....	Standard.....	41
L&N 616 to 789.....	Steel Underframe.....	Standard.....	40
L&N 850 to 949.....	Steel Underframe.....	Standard.....	83
L&N 998 & 999.....	Steel Underframe.....	Standard.....	2
NC&StL 1 to 20.....	Steel Underframe.....	Standard.....	4
NC&StL 30 to 43.....	Steel Underframe.....	Standard.....	9
NC&StL 85 to 89.....	Steel Underframe.....	Bay.....	4
NC&StL 90 to 99.....	Steel Underframe.....	Bay.....	7
NC&StL 100 to 139.....	Steel Underframe.....	Bay.....	24
NC&StL 150 to 164.....	Steel Underframe.....	Bay.....	10
<b>Total</b>			<b>561</b>

PASSENGER.

A. A. R. Mech. Desig.	MARKINGS AND KIND OF CARS	Car Numbers or Names	Seating Cap'y	Length of Comp't		Inside Length		No. of Cars
				Bag or Exp.	Mail	ft.	in.	
	<b>"L&amp;N"</b>	See Note X						
BE.....e	Bagg., Steel Center Sills.....	205 & 211		ft.	ft.	60	..	2
BE.....o	Bagg., Steel Center Sills.....	214				60	..	1
BE.....o	Baggage, Steel Underframe Note Z.....	261 & 267				70	..	2
BE.....e	" " " ".....	268				70	..	1
BE.....e	" " " ".....	269 & 274				70	1	2
BE.....e	" " Steel Center Sills.....	284				70	..	1
MA.....e	Postal Steel.....	1100, 1101				60	1	2
MA.....e	" " (See Exception).....	1105 to 1117				60	1	11
MA.....e	" " (Exception).....	1113				60	2	1
MB.....e	Baggage & Mail, Stainless Steel.....	1120, 1121		21	60	81	4	2
MB.....e	Baggage & Mail, Steel.....	1150 to 1153		30	40	70	..	4
MB.....e	" " " ".....	1200 to 1222		40	30	70	..	14
MB.....e	" " " ".....	1300 to 1316		40	30	70	..	17
BE.....e	Baggage, Steel.....	1364 to 1398				70	..	35
BE.....e	" " " ".....	1399				69	2	1
BE.....e	" " " ".....	1400, 1401				70	1	2
BE.....e	" " " ".....	1402 to 1490				70	..	87
BE.....e	" " " ".....	1494 to 1496				60	5	3
BE.....e	" " " ".....	1497 to 1499				60	1	3
BH.....e	Baggage-Horse, Steel.....	1500 to 1515				70	..	16
BE.....e	Baggage, Steel.....	1516 to 1518				70	..	3
CSB.....e	Baggage Dormitory, Stainless Steel AC.....	1598, 1599		40		82	2	2
CSB.....e	Baggage-Dormitory, Steel.....	1600 to 1604		37		69	2	4
CSB.....e	Baggage-Dormitory, Steel AC.....	1606		37		69	2	1
CSB.....e	Dormitory & Baggage Steel AC.....	1607 & 1608		39		76	11	2
CSB.....e	Dormitory & Baggage Steel AC.....	1609		30		69	1	1
PSA.....e	Dormitory, Steel AC.....	1610, 1611				69	2	2
PSA.....e	Dormitory, Steel AC.....	1620				73	10	1
PB.....e	Coach, Middle Smoking Room, Steel, AC (See Exception).....	1870 to 1884	70			69	2	6
PB.....e	Coach, Partitioned, Steel, AC (Exception).....	1880	78			69	2	1
PB.....e	Coach, Middle Smoking Room, Steel, AC.....	1900 to 1902	62			69	4	3
PB.....e	" " " " " " AC.....	1903 to 1908	62			69	2	6
PB.....e	" " " " " " AC.....	1909	62			69	4	1
PB.....e	" " " " " " AC.....	2097 & 2099	62			60	4	2
PB.....e	" " " " " " AC.....	2130 to 2185	58			69	2	33
PB.....e	Straight Coach, Steel AC.....	2395 to 2399	74			60	4	5
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC.....	2500 to 2516	50			69	2	16
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC.....	2550	52			69	3	1
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC.....	2551, 2552	44			69	3	2
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC (See Exception).....	2553 to 2582	48			69	3	22
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC (Exception).....	2559 & 2560	44			69	3	2
PB.....e	Coach, End Smoking Room & Womens Lounge, Steel AC.....	2650 to 2652	35			60	2	3
DA.....e	Dining Steel AC.....	2715 to 2720	36			78	9	3
DA.....e	" " AC.....	2722 to 2728	36			78	11	7
DA.....e	Diner, Stainless Steel, AC.....	2790	44			82	2	1
DA.....e	Diner, Aluminum Alloy, AC.....	2796 to 2799	48			82	1	4
DP.....e	Dining Parlor, Steel.....	2800 & 2801	46			78	6	2
PD.....e	Tavern-Lounge, Aluminum Alloy, AC.....	3000 to 3003	24			82	1	4
PD.....e	" " Steel, AC.....	3050 to 3052	24			76	8	3
PB.....e	Coach-Lounge, Aluminum Alloy, AC.....	3100 to 3103	48			78	5	4
PB.....e	Coach, Aluminum Alloy, AC.....	3200 to 3215	60			78	5	16
PB.....e	Coach, Stainless Steel, AC.....	3250, 3251	52			78	6	2
PB.....e	" " " " AC.....	3252	58			78	6	1
PB.....e	Coach, L. A. H. T. Steel, AC.....	3253 to 3265	60			78	5	13
PS.....e	Sleeping, Steel, AC—12 Sections—1 Drawing Room.....							23
PS.....e	" " " AC—10 Sections—2 Drawing Rooms.....							3
PS.....e	" " " AC— 8 Sections—1 Drawing Room—2 Compartments.....							2
PS.....e	" " " AC—10 Sections—1 Drawing Room—1 Compartment.....							2
PS.....e	" " " AC—10 Sections—1 Drawing Room—2 Double B.R.....							4
PS.....e	" " " AC—10 Sections—1 Drawing Room—2 Compartments.....							2
PS.....e	" " " AC— 3 Drawing Rooms—6 Compartments.....							1
PS.....e	" " " AC— 8 Sections—5 Double Bed Rooms.....							1
PS.....e	" " Stainless Steel, AC— 5 Double BR—Buffet & Lounge Observation.....							2
PS.....e	" " " AC—10 Roomettes—6 Double Bed Rooms.....							2
PS.....e	" " L. A. H. T. Steel (Painted) AC—10 Roomettes—6 Double Bed Rooms.....							3
PS.....e	" " " AC— 6 Roomettes—4 Bed Rooms—6 Open Sections.....							22
PS.....e	" " Steel (S. S. Sheathing), AC—4 Roomettes—5 Double Bed Rooms—1 Compartment—4 Open Sections.....							1
	Total "L&N".....							454



**PASSENGER.**

A. A. R. Mech. Desig.	MARKINGS AND KIND OF CARS	Car Numbers or Names	Seating Cap'y	Length of Comp't		Inside Length		No. of Cars
				Bag or Exp.	Mall	ft.	in.	
	<b>"NC&amp;StL"</b>							
MA.....e	Postal, Steel.....	See Note X 503 to 510		ft.	ft.	ft.	in.	6
PB.....e	Coach, Partition, Steel AC.....	602 to 609	64			60	..	3
PB.....e	Coach, Partition, Steel AC.....	610	68			60	..	1
PB.....e	Coach, Partition, Steel AC.....	611, 612	66			72	10	2
PB.....e	Coach, Steel AC.....	700, 701	56			69	1	2
PB.....e	Coach, Steel AC.....	703 to 711	48			69	1	8
PB.....e	Coach, Steel AC.....	712	88			69	4	1
PB.....e	Coach, Steel AC.....	720, 721	52			72	10	2
PB.....e	Coach, Steel AC.....	740 to 743	56			72	10	4
BE.....e	Baggage, Steel.....	905 to 911				70	4	6
BE.....e	Baggage, Steel.....	915 to 917				70	2	3
BE.....e	Baggage, Steel.....	918 to 923				69	4	4
BE.....e	Baggage, Steel.....	924, 925				72	..	2
BE.....e	Baggage, Steel.....	945				70	4	1
BE.....e	Baggage-Express, Steel.....	960, 961				71	8	2
BE.....e	Baggage-Express, Steel.....	962 to 966				72	7	4
BE.....e	Baggage-Express, Steel (See Exceptions).....	969 to 979				70	4	6
BE.....e	Baggage-Express, Steel (Exceptions).....	973				69	4	1
BE.....e	Baggage-Express, Steel (Exceptions).....	974, 977				72	10	2
BE.....e	Baggage-Express, Steel (Exceptions).....	975				60	2	1
BE.....e	Baggage-Express, Steel (Exceptions).....	978				70	1	1
BE.....e	Baggage-Express, Steel.....	980 to 984				72	10	5
MB.....e	Baggage & Mail, Steel.....	1020		30	30	60	2	1
MB.....e	Baggage & Mail, Steel.....	1040		43	30	72	10	1
PB.....e	Coach, Steel AC.....	1100 to 1102	56			76	1	3
PBO.....e	Coach-Observation, Steel AC.....	1103	68			76	1	1
BX.....	Box-Express, Steel, Note A.....	18097 to 18498				40	6	6
PS.....e	Sleeping, Steel AC—12 Sections—1 Drawing Room.....							3
PS.....e	Sleeping, Steel AC—14 Sections.....							1
PS.....e	Sleeping, Steel AC— 8 Sections—1 Drawing Room—2 Compartments.....							3
PS.....e	Sleeping, Steel AC— 6 Roomettes—4 Bed Rooms—6 Open Sections.....							3
PS.....e	Sleeping, Steel AC—4 Roomettes—5 Bed Rooms—1 Compartment—4 Open Sections.....							2
	<b>Total "NC&amp;StL".....</b>							<b>91</b>
	<b>Grand Total Passenger.....</b>							<b>545</b>

e—Electric Lighting.

o—Oil Lighting.

AC—Air Conditioned.

Seating capacity of passenger cars does not include middle or end smoking rooms or lounges.

Note A—Individual numbers of NC&StL box express cars:

18097                      18120                      18263                      18349                      18481                      18498

Note X—It is proposed to remark and renumber NC&StL passenger equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
503-510	to 1094-1099	905-911	to 1332-1337	973	to 1347	980-985	to 1341-1346
602-612	1910-1915	915-917	1329-1331	974	1362	1001-1009	1225-1226
700-701	2186-2187	918-923	1325-1328	975	1493	1020-1023	1275-1278
703-711	2517-2524	924-925	1339-1340	976	1353	1040	1230
712-713	1888-1889	945	1338	977	1363	1100-1102	2589-2591
720-721	2525-2526	960-966	1355-1361	978	1348	1103-	2599
740-743	2585-2588	969-972	1349-1352	979	1354	18097-18498	1000-1005

Note Z—Lighting facilities are being removed as cars are shopped for repairs.

L. & N. R. R. FREIGHT PASSENGER AND WORK EQUIPMENT

**WORK EQUIPMENT.**

L&N Business, Diesel Instr. Car, etc.....	350 to 399	
L&N Wrecking Crane.....	40000 to 40021	
L&N Sanding.....	40059 to 40080	
L&N Brake Car.....	40097 to 40099	
L&N Impact Demonstration Car.....	40550	
L&N Boarding.....	40100 to 40199, 40522 to 40526, 42000 to 42999	
L&N Tank (Fuel Oil).....	40911 to 40987, 41400	
L&N Water Tanks.....	40600 to 40699, 41511, 41650 to 41825	
L&N Trash.....	40988 to 40999	
L&N, Tool, Flat, Pile Driver, Wrecking Cars, Scale, Spreader, etc.....	40053 to 40057, 40580 to 40599, 40700 to 40910, 41000 to 41599, 41633 to 41649, 41828 to 41999	
L&N Dump.....	40200 to 40211, 41295, 41307	
L&N Dump.....	41456 to 41473, 41588, 41601 to 41632	
L&N Ballast, Steel.....	45000 to 45026, 45080 to 45099, 45100 to 45199	
L&N Ballast, Steel.....	45300 to 45999	
Total L&N.....		2452
NC&StL Business, Diesel Instr. Car.....	714	
NC&StL Pile Driver.....	90020	
NC&StL Flat.....	90018, 90021, 90036, 90131, 90133, 90340 to 90355, 90382 to 90393, 94900 to 94941	
NC&StL Spreader.....	90060	
NC&StL Locomotive Crane.....	90070 to 90089	
NC&StL Scale Test.....	90160	
NC&StL Tunnel Car.....	90180	
NC&StL Tool.....	90215, 93000 to 93007, 94265 to 94343, 94550 to 94571, 94801 to 94899, 94992	
NC&StL Water Tank.....	90300 to 90333, 90360 to 90375	
NC&StL Boarding.....	94070 to 94232, 94358 to 94506, 94600 to 94729, 94975 to 94980	
NC&StL Trash.....	95000, 95001	
NC&StL Dump.....	95100, 95101, 95129	
NC&StL Ballast.....	97000 to 97010, 97102 to 97199	
NC&StL Brake Car.....	98100, 98101	
Total NC&StL.....		381
Grand Total Work Equipment.....		2833

**RECAPITULATION.**

Total Passenger Equipment.....	545
Total Freight Equipment.....	58,823
Total Cabooses.....	561
Total Work Equipment.....	2833
Grand Total.....	62,562

F. W. KIRCHNER,  
Superintendent of Transportation.

H. G. WHITE,  
Superintendent of Car Service.