

LOUISVILLE AND NASHVILLE RAILROAD COMPANY

FREIGHT, PASSENGER AND WORK EQUIPMENT

JANUARY 1, 1961

This List Supersedes all Others of Previous Date

LOUISVILLE AND NASHVILLE RAILROAD COMPANY

OFFICE OF THE SUPERINTENDENT-OF-CAR-SERVICE.

Louisville, Ky., Jan. 1, 1961

File 10

The Equipment of this Company is Marked "L. & N." and "N. C. & St. L." and Numbered as follows:

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars
		Inside			Outside					Doors				Cubic Feet	Pounds	
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End				
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	
Box, steel.....	4000 to 7199	40 6	9 2	10 6	41 10	9 4	14 5	15	15	8	9 10	3,899	100000	2936
" "	7200 to 7424	40 6	9 2	10 6	41 10	9 4	14 3	15	15	8	9 10	3,899	100000	213
" " Note A..	7425 to 7433	40 6	9 2	10 6	41 10	9 4	14 3	15	15	7 11	9 10	3,899	100000	9
" " Note B..	7494 to 7499	40 6	9 2	10 6	41 10	9 4	14 5	15	15	7 11	9 10	3,899	100000	6
Vent Box, steel underframe, steel ends, steel body frame.....	7500 to 7505	40 6	8 6	8 6	42 3	8 11	12 10	13 4	13 4	6	8 1	2,936	100000	3
Box, steel underframe, steel ends, steel body frame.....	7520 to 7524	40 6	8 6	8 6	42 6	8 11	12 11	13 4	14	6	8	2,928	100000	3
" " " " " "	7525 to 7530	40 6	8 6	8 6	42 3	8 11	12 10	13 4	14	6	8 1	2,936	100000	5
Box, steel, underframe, steel ends, steel body frame, stag doors.....	7531 to 7537	40 6	9	10	42 3	9 3	14 5	14 10	15 6	12	9 6	3,645	100000	4
" " " " " "	7538 to 7541	40 6	9	10	42 3	9 5	14 5	14 10	15 6	10	9 7	3,620	100000	3
" " " " " "	7542	40 6	9	10 5	42 3	9 8	14 7	15 4	15 4	12	9 6	3,798	100000	1
Box, steel underframe, steel ends, steel body frame.....	7576 to 7999	40 6	8 6	8 6	42 3	8 11	12 10	13 4	13 4	6	8 1	2,936	100000	6
Box, steel.....	8750 to 8999	40 6	9 2	10 6	41 10	9 4	14 3	15	15	9	9 10	3,899	100000	250
" "	13000 to 13373	40 6	8 9	9 4	41 9	9	13 1	14	14	6	8 9	3,311	80000	70
" "	13400 to 13884	40 6	9 2	10	41 9	9 4	13 11	14 6	14 6	6	9 4	3,714	80000	91
" "	13950 to 14592	40 6	9 2	10 6	41 10	9 10	13 11	15	15	6	9 10	3,888	100000	93
" "	14600 to 14999	40 6	9 2	10 6	41 10	9 4	14 5	15	15	6	9 10	3,899	100000	397
" "	15000 to 16799	40 6	9 2	10 6	41 9	9 4	14 4	15	15	6	9 10	3,899	100000	1746
" "	16800 to 18399	40 6	9 2	10 6	41 10	9 4	14 5	15	15	6	9 10	3,899	100000	1568
" "	18400 to 18888	40 6	9 2	10 6	41 10	9 5	14 5	15	15	6	9 10	3,899	100000	108
Stock, steel underframe, steel body frame	19500 to 19699	40 6	8 7	8 6	42 3	9 1	12 6	13 3	14	6	8 1	2,974	80000	22
Pulpwood, Steel..	19800 to 19999	38 4	8 8	7	43 4	8 8	11 2	11 2	2,320	100000	200
" steel underframe	20063	40	9 2	6	40 11	9 3	9 10	10 7	2,000	80000	1
" " " "	20283 to 20299	34	8 10	37 8	8 10	11 7	80000
Pulpwood, steel....	20500 to 20949	38	8 8	7	43 4	8 8	11 1	11 1	2,306	100000	450
" " " "	20950 to 20981	38	8 8	43 3	8 8	11	100000
Flat steel.....	21000 to 21399	52 1	9 2	54 2	10 6	3 8	3 8	5 3	100000	308
" "	21400 to 21499	52 1	9 4	54 3	9 4	3 8	3 8	4 11	100000	100
" "	22000 to 22249	45 5	9 4	47 7	9 7	3 9	3 9	5 9	100000	245
Pulpwood, steel..	23000 to 23699	41 6	9 2	8	48	8 8	12 5	12 5	2,875	140000	700
Flat, steel underframe.	24200 to 24293	40 4	9	40 9	9	3 8	6 3	100000
" " " " " Note C	24297 to 24299	40 4	9	40 9	9	3 8	6 3	100000	3
Flat steel.....	24300 to 24819	45 5	9 4	47 7	9 7	3 9	3 9	5 9	100000	478
Tote, Flat, Steel.	24820 to 24824	53 6	10 6	54 2	10 6	3 8	3 8	5 3	100000
Wallboard, Flat, Steel.....	24825 to 24849	48 6	10 6	6 6	54 2	10 6	10 2	10 2	100000	25
Tote, Flat, Steel.	24865 to 24891	53 6	10 6	54 2	10 6	3 8	3 8	5 3	100000	17
Wallboard, Flat, Steel.....	24900 to 24917	48 6	10 6	6 6	54 2	10 6	10 2	10 2	100000	18
Tote, Flat, Steel.	24920 to 24949	46 9	10 6	47 7	10 6	3 9	5 4	100000	30
Flat, steel, Note D..	24950 and 24951	40 8	9 4	43 3	9 7	3 9	3 9	5 9	155000	2
Forward.....		42 6	9 7												10109

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars		
		Inside			Outside						Doors			Cubic Feet	Pounds			
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End						
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	To Eaves	To Top of Platform or Running Board	To over all		Width	Height
L&N	See Note AA																	
Brought Forward..																		10109
Wallboard, Flat, Steel, Note E..	24957 to 24989	48 6	10 6	6 6	54 2	10 6	10 2		10 2								100000	33
Flat, depressed steel, Note F.....	24996 and 24997	57 9	9		58 4	9	9	4 2	5 10								250000	2
Pit, steel, Note G....	24998	15	7 10	2 6	35 9	10	4	4	6 1								358 100000	1
Mill, gondola, low-side, steel, drop ends, Note H.....	25000 to 25099	65 6	7 9	3 6	68 1	8 7	7 1		7 1								1,776 140000	99
" " " " Note H....	25100 to 25299	65 6	7 9	3 6	67 4	8 7	7		7 2								1,776 140000	199
Mill, Gondola, all steel low side, drop ends.....	25300 to 25799	45	9 6	3	47 7	10 4	6 6	6 6	6 6								1,282 140000	485
Mill, Gondola, low side, steel under-frame, drop ends.	25800 to 25999	45	8 11	2 6	47 7	9 4	6 3	6 3	6 3								1,011 100000	8
Mill, Gondola, low side, steel, balanced drop ends.....	26000 to 26199	65 6	7 9	3 6	68 1	8 6	7		7								1,776 140000	199
Mill, Gondola, steel, drop ends.....	26200 to 26224	65 6	7 9	3 6	67 4	8 6	7		7 2								1,777 140000	
Gondola, steel Note J.....	26260 to 26262	45	9 6	4	47	10 5	7 7		12 1								1,710 140000	3
Mill Gondola, steel, Note J.....	26263 to 26269	52 6	9 6	3 3	54 5	10 5	7	7	12 3								1,632 140000	7
Mill, Gondola, steel, Note E.....	26285 to 26288	52 6	9 6	3 3	54 5	10 5	7		7	9 10							1,632 140000	4
Mill, Gondola, steel, Note J.....	26295 to 26297	52 6	9 6	3 3	54 5	10 5	7		11 3								1,632 140000	3
Mill, Gondola, steel, Note J.....	26298 & 26299	52 6	9 6	3 3	54 5	10 5	7		12 3								1,632 140000	2
Mill, Gondola, low side, steel under-frame, drop ends.....	26300 to 26999	38 1	8 7	1 6	40 4	9	5 5	5 5	5 11								497 100000	15
Coal Hopper, steel.....	27000 to 28999	30 6	9 5		31 11	10 2	10 8		10 8								1,880 100000	11
Gondola, solid ends, solid bottom, steel.....	29000 to 29949	40 6	9 5	4 7	42 2	10 3	8 1		8 1								1,765 100000	240
Sludge Gon, Steel.	29951 to 29999	40 6	9 5	4 7	42 2	10 3	8 1		8 1								1,765 100000	49
Coke, steel.....	30550 to 30699	40 6	9 4	9 3	41 9	9	13		13 6	{3 3 5 1}	{6 0 6 8}						3,487 100000	149
Chipwood Hopper Steel...	30873 to 30999	34	10 1		35 1	10 3	15 6		15 6								3,620 100000	127
Coal Hopper steel	32000 to 33999	33	10 4		34	10 5	10 8		11 11								2,145 100000	1958
" " steel	34000 to 35999	34 11	9 7		36	10 5	10 8		11 11								2,142 100000	1967
Gondola, solid bottom and ends, steel.....	36000 to 37099	45	9 6	4	47	10 5	7 7		7 7								1,710 140000	1097
Covered hopper, steel.....	37300 to 37399																140000	
Covered Hopper, steel.....	37400 to 37507	41	9 11		47 1	10 8	12 7	13 3	13 3								3,215 140000	108
" " " "	37508 to 37549	41	9 11		47 1	10 7	12 3	13 1	13 2								3,200 140000	42
" " " "	37550 to 37749	41	9 9		47 1	10 5	12 1	12 11	12 11								2,927 140000	199
Covered hopper, steel.....	37750 to 37849	41	9 5		47 1	10 2	12 2	13 1	13 2								2,893 140000	100
Covered hopper, steel.....	37850 to 38074	29 3	9 5		35 3	9 9	12 2	12 10	13 2								1,892 140000	223
Covered hopper.....	38075 to 38299	29 3	9 5		35 3	9 10	12 6	12 10	13 2								1,892 140000	223
" " " "	38300 to 38524	29 3	9 5		35 3	9 7	12 3	12 10	12 10								1,958 140000	162
" " " "	38525 to 38539	35	9 8		36	10 5	10 8	11 7	11 7								2,143 100000	1
Mill Gondola, steel, drop ends.....	38900 to 38999	65 6	7 9	3 6	68 1	8 6	7		7								1,776 140000	100
Mill, Gondola, steel, fixed ends.....	39000 to 39499	52 6	9 6	3 3	54 6	10 4	7 1		7 1								1,637 140000	489
Mill Gondola, steel, fixed ends, nailable steel floors.....	39500 to 39749	52 6	9 6	3 3	54 5	10 5	7	7	7								1,632 140000	236
Mill Gondola, steel, fixed ends, composite floor.....	39750 to 39999	52 6	9 6	3 3	54 5	10 5	7	7	7								1,632 140000	208
Box, steel Note L.....	45000 to 46099	40 6	9 4	10 5	41 10	9 5	14 3	15 1	15 1	8	9 10						3,933 100000	100
Auto, Steel, Stag Doors Note M.....	46400 to 46549	40 6	9 2	10 6	41 9	9 4	14 4	15	15	14	9 10						3,899 100000	127
Forward.....	Loading Device "F" and "F4"					9 11	13 11											19085

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars				
		Inside			Outside					Doors				Cable Feet	Pounds					
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End								
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	To Eaves	To Top of Platform or Running Board	To over all		Width	Height	Width	Height
Brought Forward.....																			10085	
Box, steel... Note N	46600 to 46799	40 6	9 2	10 5	41 10	9 10	13 12	15 15				8	9 10					3,899	100000	200
" " Note L	46800 to 46899	40 6	9 4	10 5	41 10	10	14 3	15 1	15 1			8	9 10					3,948	100000	100
Box, all steel, stag doors and end doors.	46900 to 46999	40 6	9 2	10	42 3	9 2	14 3	14 8	14 8			12 6	9 5	9 2	9 8			3,713	100000	98
Gondola, steel, solid ends solid bottom.	47000 to 47499	42	9 5	4 8	43 5	10 3	8 2		8 2									1,848	100000	55
Gondola, Solid Bottom, steel..	47500 to 47991	42	9 5	4 8	43 5	10 3	8 2		8 2									1,848	100000	59
Gondola, Solid Bottom, steel..	48000 to 48145	42	9 5	4 8	43 5	10 3	8 2		8 2									1,848	100000	13
Gondola, solid bottom steel...	48200 to 49999	40 6	9 5	4 7	42 2	10 3	8 1		8 1									1,765	100000	261
Gondola, D. B., flat bottom, steel.....	50000 to 56499	40 6	9 5	4 7	42 2	10 3	8 1		8 1									1,765	100000	537
Mill, Gondola, steel, solid bottom, fixed ends	56500 to 56699	40 1	9 6	2 2	42	10 5	5 9		5 9									825	100000	200
Container, Gen. steel, Note P.	56700 to 56713	45	9 6	4	47	10 5	7 7		7 7									1,710	140000	
Gondola, steel, Note Q.	56790 to 56799	52	9 3	5 1	54 6	10 4	8 11		8 11									2,465	140000	10
Gondola, steel, Note R (See Exception)	56965 to 56999	52 1	8 10	4 6	54 5	10 3	8 3		8 3									2,004	140000	34
Gondola, Steel, (Exception) Note S.	56998	45	9 3	4 4	47	10 5	7 7		7 7									2,112	140000	1
Ore, hopper steel....	57000 to 57249	29 8	9 7		36	10 5	10 8		10 8									1,629	180000	243
Gondola, D. B., flat bottom steel.....	57400 to 59999	40 6	9 5	4 7	42 2	10 3	8 1		8 1									1,765	100000	43
Coal, hopper, steel....	60000 to 62699	33	10 4		34 1	10 5	10 8		10 8									2,145	100000	2093
" " "	62700 to 63899	33	10 4		34 1	10 5	10 8		11 11									2,145	100000	953
" " "	63900 to 71149	33	10 4		34	10 5	10 8		11 11									2,145	100000	6448
" " "	71150 to 71391	33	9 10		34	10 5	10 8		10 8									2,050	100000	237
" " "	71392 to 72129	33	9 10		34 0	10 5	10 8		11 11									2,046	100000	737
" " "	72200 to 72399	33	10 4		34	10 5	10 8		11 11									2,191	100000	81
" " "	72999 to 74999	42 10	9 8		43 10	10 6	10 8		11 11									2,750	140000	1989
" " "	75000 to 75999	30 6	9 5		31 11	10 2	10 8		10 8									1,880	100000	17
" " "	76000 to 76120	30 6	9 5		31 11	10 4	10 8		11 4									1,880	100000	5
" " "	76150 to 81949	33	10 4		34	10 5	10 8		11 11									2,145	100000	5650
" " "	81950 to 82199	33	10 4		34	10 5	10 8		10 8									2,145	100000	209
" " "	82200 to 85199	35	9 7		36	10 5	10 8		12									2,143	100000	2968
" " "	85200 to 85582	35	9 8		36	10 5	10 8		10 8									2,143	100000	83
" " "	85600 to 85648	34 9	10 1		36	10 2	10 8		10 8									2,230	100000	23
" " "	85650 to 87999	30 6	9 5		31 11	10 2	10 8		10 8									1,880	100000	9
" " "	88000 to 88995	33	10 4		34	10 5	10 8		10 8									2,145	100000	473
" " "	89000 to 89999	30 6	9 5		31 11	10 2	10 8		10 8									1,880	100000	4
Box, steel.....	90000 to 91343	40 6	9 2	10	41 9	9 5	13 11	14 7	14 7			6	9 4					3,713	100000	1304
Box, steel, stag door.....	91350 to 91369	40 6	9 2	10 6	41 9	9 5	14 4	15	15			14	9 10					3,899	100000	20
Box, steel.....	93000 to 94199	40 6	9 2	10	42 6	9 2	14 3	14 7	14 7			6	9 4					3,713	100000	399
" " "	94200 to 95541	40 6	9 2	10	42 3	9 2	14 3	14 7	14 7			6	9 4					3,713	100000	404
" " "	95800 to 97091	40 6	9 2	10	42 6	9 2	14 3	14 7	14 7			6	9 4					3,713	100000	961
" " Note T.	97100 to 97199	50 6	9	10 5	51 10	9 4	14 3	15	15			9	9 9					4,731	100000	93
" " Note T.	97200 to 97309	50 6	9	10 5	51 10	9 4	14 3	15	15			9	9 9					4,770	100000	110
" " Note U.	97310 to 97349	50 6	9	10 5	51 10	9 4	14 3	15	15	15		9	9 9					4,770	95000	39
" " Note T.	97350 to 97399	50 6	9 2	10 5	51 10	9 5	14 3	15 1	15 1	9		9	9 10					4,853	100000	50
Box, steel, Note U.....	97400 to 97424	50 6	9 2	10 5	51 10	9 6	14 2	15 1	15 1	15		9	9 10					4,821	95000	25
Box, steel, Note U.....	97425 to 97434	50 6	9 2	10 5	51 10	9 6	14 2	15 1	15 1	15		9	9 10					4,821	100000	
Box, steel, Note V.....	97460 to 97499	50 6	9 3	10 5	51 10	9 6	14 2	15 1	15 1	15		9	9 10					4,863	100000	15
Box, steel, Note W.....	97500 to 97549	50 6	9 2	10 5	53 6	9 6	14 2	15 1	15 1	15		9	9 10					4,821	95000	
Box, steel, Note X.....	97800 to 97899	50 6	9 4	10 5	53 6	9 6	14 2	15 1	15 1	9		9	9 10					4,923	100000	
Box, steel.....	97900 to 97999	50 6	9 4	10 5	51 10	9 6	14 2	15 1	15 1	15		9	9 10					4,923	100000	100
Forward.....																				46534

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS														CAPACITY		Number of cars.
		Inside						Outside						Doors		Cubic Feet	Pounds	
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail	Side		End								
								To Eaves	To Top of Platform or Running Board	To over all	Width	Height	Width	Height				
ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.			
L&N See Note AA																		
Brought Forward Box, steel.....	98000 to 98024	50 6	9 4	10 5	51 10	9 6	14 2	15 1	15 1	15	9 10	4,923	100000	46534		
" "	98025 to 98049	50 4	9 4	10 5	51 10	10 14	9 6	14 2	15 1	15 1	15	9 10	4,911	100000	25		
" "	98050 to 98074	50 6	9 4	10 5	51 10	9 10	14 2	15 1	15 1	15	9 10	4,922	100000	25			
Box, steel, stag door	98100 to 98599	50 6	9 2	10 6	51 10	9 4	14 3	15	15	15	9 10	4,844	100000	479			
Box, steel, stag door	98600 to 99099	50 6	9 2	10 6	51 10	9 4	14 5	15	15	12 6	9 10	4,844	100000	496			
Box, steel, stag doors..	99100 to 99199	50 6	9 2	10 4	51 9	9 5	14 3	14 11	14 11	12 6	9 9	4,784	100000	98			
Box, steel, stag door	99200 to 99499	50 6	9 2	10 6	51 10	10 3	13 10	15	15	12 6	9 10	4,844	100000	298			
Auto, steel stag doors	99500 to 99549 Loading Device "F"	50 6	9 2	10 6	51 9	9 4	14 4	15	15	15	9 10	4,862	100000	35			
" " " "	99550 to 99559	50 6	9 1	10 6	51 9	9 4	14 4	15	15	15	9 10	4,860	100000	10			
Note Y Auto, steel, stag doors.....	99580 to 99599 Loading Device "F"	50 6	9 2	(10 6)	51 10	(9 8)	(9 8)	15	15	15	9 10	{4,844}	{100000}	20			
Box, steel.....	99600 to 99638	50 6	9 2	10 6	51 9	9 4	14 4	15	15	15	9 10	4,844	100000	4			
Box, steel, stag door and end doors.....	99800 to 99999	50 6	9 2	10 4	52	9 5	14 3	14 11	14 11	12 6	9 9	9 2	10	4,784	100000	190		
Coal Hopper, steel	117000 to 119999	33	9 9	34 1	10 8	11	11 11	2,020	100000	1151			
" "	120000 to 128399	33	9 9	34 1	10 8	11	11 11	2,020	100000	230			
Coal hopper, steel..	150000 to 156149	42 10	9 8	43 10	10 6	10 8	10 8	2,750	140000	4687			
Mill Gondola, steel	170000 to 171799	52	6 6	3 3	54 6	10 5	6 11	6 11	1,637	140000	900			
Coal hopper, steel.....	180000 to 185999	30 6	9 5	31 11	10 2	10 8	10 8	1,880	100000	21			
Coal hopper, steel.....	186000 to 186299	34	10 1	35 1	10 3	10 8	10 8	2,092	100000	165			
" " " "	190000 to 190999	200000			
Total L&N.....	55393		
NC&StL																		
Box, steel.....	17800 to 17844	39 6	9 2	9 4	40 9	9 5	13 2	13 11	14	6	8 9	3,380	100000	2		
" "	18000 to 18499	40 6	8 9	9 4	41 9	9	13 1	14	14	6	8 9	3,311	80000	251		
" "	18500 to 18999	40 6	9 2	10	41 9	9 4	13 11	14 6	14 6	6	9 4	3,714	80000	387		
" "	19000 to 19499	40 6	9 2	10 6	41 10	9 5	14 5	15	15	6	9 10	3,899	100000	375		
" "	20000 to 21229	36 3	9 2	9 10	38	9 3	14 2	14 9	14 9	6	9 2	3,275	80000	13		
" "	22000 to 22649	40 6	9 2	10 6	41 10	9 10	13 11	15	15	6	9 10	3,888	100000	546		
Mill Gondola, steel, drop ends	41000 to 41024	65 6	7 9	3 6	67 4	8 6	7	7 2	1,777	140000	25			
Gondola, steel, solid ends, solid bottom....	42400 to 42599	41 6	9 5	4 10	42 10	10 3	8 3	8 3	1,900	100000	3			
" " " "	43200 to 43349	42	9 5	4 8	43 5	10 3	8 2	8 2	1,848	100000	53			
" " " "	43500 to 43999	42	9 5	4 8	43 5	10 3	8 2	8 2	1,848	100000	422			
Gondola, steel, solid ends, solid bottom....	44000 to 44499	42	9 5	4 8	43 5	10 3	8 2	8 2	1,848	100000	411			
Container, steel, (Note P).....	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	14		
Coal Hopper, steel.....	46500 to 46899	35	9 8	36	10 5	10 8	10 8	2,143	100000	300			
Covered Hopper, Note Z.....	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	" " " "	14		
Coal Hopper, steel.....	47100 to 47224	30 6	9 5	31 11	10 4	10 8	11 4	1,880	100000	2			
" " " " Note BB	47500 to 47999	33	10 4	34	10 5	10 8	10 8	2,145	100000	325			
" " " "	48000 to 48049	34 9	10 1	36	10 2	10 8	10 8	2,230	100000	17			
" " " "	48100 to 48299	33	10 4	34	10 5	10 8	11 11	2,191	100000	52			
" " " "	48300 to 48799	33	10 4	34	10 5	10 8	10 8	2,145	100000	177			
Covered Hopper, steel	49000 to 49224	29 3	9 5	35 3	9 7	12 3	12 10	12 10	1,958	140000	62			
Flat, steel underframe....	70100 to 70299	40 4	9	40 9	9	3 8	6 3	100000	19			
Pulpwood, steel underframe....	80000 to 80016	34	8 10	37 8	8 10	11 7	80000	4			
Pulpwood, steel..	80500 to 80531	38	8 8	43 3	8 8	11	100000	32			
Total NC&StL.....	3506		
Grand Total Freight.....	58899		

FREIGHT EQUIPMENT

Note A—Cars in series L&N 7425 to 7433 have 40 special racks suitable for automobile transmissions.

Note B—Cars in series L&N 7494 to 7499 are equipped with permanent racks for caskets.

Note C—Cars in series L&N 24297 to 24299 are equipped with two (2) removable covers to protect airplane parts.

Note D—Flat cars Nos. L&N 24950 and 24951 are equipped with wood loading floor and have 2 six-wheel trucks. Spacing between trucks 28 ft. 6 in.; between axles 4 ft. 6 in. These cars may not be loaded in excess of 190,500 pounds concentrated at the center of car. This load cannot be concentrated on either side of center line of car.

Note E—Cars in series L&N 24957 to 24964 and 24975 to 24977 do not have end lockers.

Note F—Dimensions of depressed center cars Nos. L&N 24996 and 24997 are as follows: length of depressed section 21 ft., width of depressed section 9 ft., height of depressed section above top of rail 2 ft., height of ends of car above rail 4 ft. 2 in., width of ends 9 ft. This car is equipped with cast steel loading floor and has 2 six-wheel trucks. Spacing between truck centers 41 ft.; between axles 4 ft. 6 in.; and is designed to carry a load equivalent to the load limit over a distance of 18 ft. at center of car.

Note G—Dimensions of pit of Car No. L&N 24998 are as follows: length 14 ft. 8 in.; width 7 ft. 10 in.; depth 2 ft. 6 in.; height from top of rail to bottom of pit floor 10 $\frac{3}{8}$ in., to top of floor 1 ft. 4 $\frac{3}{8}$ in. This car is equipped with steel loading floor and has 2 four-wheel trucks. Spacing between truck centers 24 ft. 6 in.; between axles 5 ft. 6 in.

Note H—Cars in series L&N 25000 to 25099 and 25100 to 25299 should be loaded as follows:

Length of Load	Percentage of Stenciled Load Limit
18 ft. or Less.....	61% Maximum
Over 18 ft. to 24 ft.....	72% "
Over 24 ft. to 44 ft.....	77% "
Over 44 ft.....	100% "

Note J—Cars numbered L&N Series 26260 to 26262, 26263 to 26269, 26295 to 26297, 26298 and 26299 are equipped with special permanent blocking and steel quonset type covers for loading coiled sheet steel.

Note K—Cars numbered L&N 26285 to 26288 are equipped with 9 ft. 10 in. (clear opening) sliding type side doors.

Note L—Cars in series L&N 46000 to 46099 and 46800 to 46899 are equipped with Evans 19-belt "DF"-2 loader equipment.

Note M—Individual numbers of cars in series L&N 46400 to 46549 equipped with type "F4" Evans Automobile Loading Devices. Other cars in this series are equipped with type "F" Evans Automobile Loading Devices.

46400	46413	46432	46453	46469	46481	46502	46521	46536	46542
46401	to	46437	46456	46470	46482	46507	46522	46537	46544
46403	46417	46439	46457	46472	46485	46508	46526	46538	46545
46406	46419	46443	46459	to	46488	46512	to	46540	46547
46408	46421	to	to	46475	46491	46514	46529	46541	46548
46409	46422	46446	46462	46477	46493	to	46531		
46410	46424	46448	46468	46480	46500	46519	46532		

Note N—Cars in series L&N 46600 to 46799 are equipped with Evans type 19-belt "DF"-2 loader equipment for handling electric appliances.

Note P—Individual numbers of cars in series NC&StL 44000 to 44499 to be renumbered L&N 56700 to 56713 equipped with ten (10) demountable containers: Capacity of each container 145 cu. ft., light weight of each container 2,030 pounds.

44011	44069	44164	44235	44299	44305	44383
44048	44119	44171	44266	44300	44345	44481

Note Q—Cars in series L&N 56790 to 56799 have 7 rows of Sparton Tri-Belts.

Note R—Cars in series L&N 56965 to 56999 except 56998 have 4 movable bulkheads and 3 sectional removable roof covers.

Note S—L&N 56998 has removable roof covers and six rows of Evans "DF-2" belt rails. Car is equipped with wood floor and ends lined with wood.

Note T—Cars numbered L&N 97100 to 97199, 97200 to 97309 and 97350 to 97399 are equipped with Evans type 9-belt "DF" loader equip.

Note U—Cars in series L&N 97310 to 97349, 97400 to 97424 and 97425 to 97434 are equipped with Evans 7 adjustable "DF" loading belts.

Note V—Cars in series L&N 97460 to 97499 are equipped with 9 rows of Sparton SEL Loader Belts.

Note W—Cars in series L&N 97500 to 97549 have Hydra-Cushion Underframe and 9 rows of Evans DF Loader Belts.

Note X—Cars in series L&N 97800 to 97899 have Hydra-Cushion Underframe and 108 Lading Tie Anchors.

Note Y—Cars in series L&N 99550 to 99559 are equipped with DF type 18 adjustable belt equipment for handling Ford Motor Co. body parts.

Note Z—Individual numbers of covered hopper cars in series NC&StL 46500 to 46899:

46518	46550	46554	46561	46564	46567	46570	46610
16545	46552	46556	46563	46565	46569	46602	

Note AA—It is proposed to remark and renumber NC&StL freight equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
17800-17844	to 13900-13942	42400-42599	to 48150-48179	46500-46899	to 85200-85582	48300-48799	to 88500-88995
18000-18499	13000-13373	43200-43399	48000-48145	46500-46899	covered hopper } 38525-38539	49000-49224	38300-38524
18500-18999	13400-13884	43500-43999	47500-47991	47100-47224		76000-76120	70100-70229
19000-19499	18400-18888	44000-44499	47019-47499	47500-47999	88000-88494	80000-80016	20283-20299
22000-22649	13950-14592	44000-44499	} 56700-56713	48000-48049	85600-85648	80500-80531	20950-20981
41000-41024	26200 26224	container cars		48100-48299	72200-72397		

Note BB—Three (3) cars in series NC 47500 to 47999 equipped with roof covers 47586, 47609, 47926 and will be renumbered L&N 88492 to 88494.

RECAPITULATION OF FREIGHT EQUIPMENT.

CLASS OF CAR	Inside Length		Pounds 80,000	Pounds 95,000	Pounds 100,000	Pounds 140,000	Pounds 155,000	Pounds 180,000	Pounds 250,000	Total	Grand Total
	ft.	in.									
Box, Steel.....	36	3	13							13	14837
Box, Steel.....	39	6			2					2	
Box, Steel Underframe.....	40	6			22					22	
Box, Steel.....	40	6	799		11923					12722	192
Box, Steel.....	50	4			25					25	
Box, Steel.....	50	6		64	1989					2053	
Auto, Steel.....	40	6			127					127	3
Auto, Steel.....	50	6			65					65	
Vent Box, Steel Underframe.....	40	6			3					3	
Stock, Steel Underframe.....	40	6	22							22	22
Pulpwood, Steel Underframe.....	34		4							4	
Pulpwood, Steel.....	38				482					482	
Pulpwood, Steel.....	38	4			200					200	1387
Pulpwood, Steel Underframe.....	40		1							1	
Pulpwood, Steel.....	41	6				700				700	
Flat, Steel Underframe.....	40	4			22					22	1270
Flat, Steel.....	42	6					2			2	
Flat, Steel.....	46	9			753					753	
Flat, Steel.....	48	6			76					76	1270
Flat, Steel.....	53	6			423					423	
Flat, Steel.....	57	9						2		2	
Flat, Pit, Steel.....	15				1					1	3179
MILL Gon, Steel Underframe.....	38	1			15					15	
Mill Gon, Steel.....	40	1			200					200	
Mill Gon, Steel Underframe.....	45				8					8	580
Mill Gon, Steel.....	45					485				485	
Mill Gon, Steel.....	52	6				1849				1849	
Mill Gon, Steel.....	65	6				622				622	2711
Gondola D.B., Steel.....	40	6			580					580	
Gondola S.B., Steel.....	40	6			550					550	
Gondola S.B., Steel.....	41	6			3					3	14
Gondola S.B., Steel.....	42				1013					1013	
Gondola S.B., Steel.....	45					1100				1100	
Gondola S.B., Steel.....	52					10				10	14
Gondola S.B., Steel.....	52	1				35				35	
Gondola, Container, Steel.....	42				14					14	
Coal Hopper, Steel.....	30	6			69					69	33042
Coal Hopper, Steel.....	33				20774					20774	
Coal Hopper, Steel.....	34				165					165	
Coal Hopper, Steel.....	34	9			40					40	127
Coal Hopper, Steel.....	34	11			1967					1967	
Coal Hopper, Steel.....	35				3351					3351	
Coal Hopper, Steel.....	42	10				6676				6676	1134
Chipwood Hopper, Steel.....	34				127					127	
Covered Hopper, Steel.....	29	3				670				670	
Covered Hopper, Steel.....	35				15					15	149
Covered Hopper, Steel.....	41					449				449	
Coke, Steel.....	40	6			149					149	
Ore, Steel.....	29	8						243		243	243
Totals.....			839	64	45153	12596	2	243	2	58899	58899

CABOOSES

Serial Number	Construction	Type	Number Owned
L&N 3 to 228.....	Steel Underframe.....	Standard.....	142
L&N 230 to 259.....	Steel Underframe.....	Terminal.....	26
L&N 260 to 289.....	Steel Underframe.....	Mine Run.....	24
L&N 318.....	Steel Underframe.....	Standard.....	1
L&N 320 to 379.....	Steel Underframe.....	Bay.....	18
L&N 390 to 549 (2-Way Radio).....	Steel Underframe.....	Standard.....	130
L&N 551 to 598.....	Steel Underframe.....	Standard.....	41
L&N 600 to 612 (2-Way Radio).....	Steel Underframe.....	Standard.....	
L&N 623 to 789.....	Steel Underframe.....	Standard.....	37
L&N 850 to 949.....	Steel Underframe.....	Standard.....	83
L&N 998 & 999.....	Steel Underframe.....	Standard.....	2
NC&StL 1 to 20.....	Steel Underframe.....	Standard.....	4
NC&StL 30 to 43.....	Steel Underframe.....	Standard.....	7
NC&StL 86 to 88.....	Steel Underframe.....	Bay.....	3
NC&StL 90 to 99.....	Steel Underframe.....	Bay.....	6
NC&StL 100 to 139.....	Steel Underframe.....	Bay.....	18
NC&StL 150 to 164.....	Steel Underframe.....	Bay.....	9
Total.....			551

PASSENGER.

A. A. R. Mech. Desig.	MARKINGS AND KIND OF CARS	Car Numbers or Names	Seating Cap'y	Length of Comp't		Inside Length		No. of Cars
				Bag or Exp.	Mail	ft.	in.	
	"NC&StL"							
MA.....e	Postal, Steel.....	See Note X		ft.	ft.	ft.	in.	
PB.....e	Coach, Partition, Steel AC.....	503 to 510				60	2	6
PB.....e	Coach, Partition, Steel AC.....	602 to 609	64			69	..	3
PB.....e	Coach, Partition, Steel AC.....	610	68			69	..	1
PB.....e	Coach, Partition, Steel AC.....	611, 612	66			72	10	2
PB.....e	Coach, Steel AC.....	700, 701	56			69	1	2
PB.....e	Coach, Steel AC.....	703 to 711	48			69	1	8
PB.....e	Coach, Steel AC.....	712	88			69	4	1
PB.....e	Coach, Steel AC.....	720, 721	52			72	10	2
PB.....e	Coach, Steel AC.....	740 to 743	56			72	10	4
BE.....e	Baggage, Steel.....	905 to 911				70	4	6
BE.....e	Baggage, Steel.....	915 to 917				70	2	3
BE.....e	Baggage, Steel.....	918 to 922				69	4	3
BE.....e	Baggage, Steel.....	924, 925				72	..	2
BE.....e	Baggage, Steel.....	945				70	4	1
BE.....e	Baggage-Express, Steel.....	960, 961				71	8	2
BE.....e	Baggage-Express, Steel.....	964 to 966				72	7	3
BE.....e	Baggage-Express, Steel (See Exceptions).....	969 to 979				70	4	6
BE.....e	Baggage-Express, Steel (Exceptions).....	973				69	4	1
BE.....e	Baggage-Express, Steel (Exceptions).....	974, 977				72	10	2
BE.....e	Baggage-Express, Steel (Exceptions).....	975				60	2	1
BE.....e	Baggage-Express, Steel (Exceptions).....	978				70	1	1
BE.....e	Baggage-Express, Steel.....	980 to 984				72	10	5
MB.....e	Baggage & Mail, Steel.....	1040		43	30	72	10	1
PB.....e	Coach, Steel AC.....	1100 to 1102	56			76	1	3
PBO.....e	Coach-Observation, Steel AC.....	1103	48			76	1	1
BX.....	Box-Express, Steel, Note A.....	18097 to 18498				40	6	6
PS.....e	Sleeping, Steel AC—12 Sections—1 Drawing Room.....							3
PS.....e	Sleeping, Steel AC—14 Sections.....							1
PS.....e	Sleeping, Steel AC— 8 Sections—1 Drawing Room—2 Compartments.....							2
PS.....e	Sleeping, Steel AC— 6 Roomettes—4 Bed Rooms—6 Open Sections.....							3
PS.....e	Sleeping, Steel AC— 4 Roomettes—5 Bed Rooms—1 Compartment—4 Open Sections.....							2
	Total "NC&StL".....							87
	Grand Total Passenger.....							530

e—Electric Lighting.

o—Oil Lighting.

AC—Air Conditioned.

Seating capacity of coaches does not include middle or end smoking rooms or lounges.

Note A—Individual numbers of NC&StL box express cars:

18097 18120 18263 18349 18481 18498

Note X—It is proposed to remark and renumber NC&StL passenger equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
503-510	to 1094-1099	905-911	to 1332-1337	973	to 1347	980-984	to 1341-1345
602-612	1910-1915	915-917	1329-1331	974	1362	1040	1230
700-701	2186-2187	918-922	1325-1327	975	1493	1100-1102	2580-2591
703-711	2517-2524	924-925	1339-1340	976	1353	1103-	2599
712	1888	945	1338	977	1363	18097-18498	1000-1005
720-721	2525-2526	960-966	1355-1361	978	1348		
740-743	2585-2588	969-972	1340-1352	979	1354		

Note Z—Lighting facilities are being removed as cars are shopped for repairs.

L. & N. R. R. FREIGHT PASSENGER AND WORK EQUIPMENT

WORK EQUIPMENT.

L&N Business, Diesel Instr. Car, etc.....	350 to 399	
L&N Wrecking Crane.....	40000 to 40021	
L&N Sanding.....	40059 to 40080	
L&N Brake Car.....	40097 to 40099	
L&N Impact Demonstration Car.....	40550	
L&N Diesel Spacer Car.....	40555	
L&N Boarding.....	40100 to 40199, 40522 to 40526, 42000 to 42999	
L&N Tank (Fuel Oil).....	40911 to 40987, 41400	
L&N Water Tanks.....	40600 to 40699, 41511, 41650 to 41825	
L&N Trash.....	40088 to 40099	
L&N, Tool, Flat, Pile Driver, Wrecking Cars, Scale, Spreader, etc.....	40053 to 40358, 40580 to 40599, 40700 to 40910, 41000 to 41599, 41633 to 41649, 41828 to 41999	
L&N Dump.....	40200 to 40211, 41295	
L&N Dump.....	41456 to 41473, 41601 to 41632	
L&N Ballast, Steel.....	45000 to 45026, 45080 to 45099, 45100 to 45199	
L&N Ballast, Steel.....	45300 to 45999	
Total L&N.....		2186
NC&StL Business, Diesel Instr. Car.....	714	
NC&StL Pile Driver.....	90020	
NC&StL Flat.....	90018, 90021, 90036, 90131, 90133, 90340 to 90355, 90382 to 90393, 94900 to 94941	
NC&StL Locomotive Crane.....	90070 to 90089	
NC&StL Tunnel Car.....	90180	
NC&StL Tool.....	90215, 93000 to 93007, 94265 to 94343, 94550 to 94571, 94801 to 94898, 94992	
NC&StL Water Tank.....	90300 to 90333, 90360 to 90375	
NC&StL Boarding.....	94071 to 94232, 94358 to 94506, 94600 to 94729, 94975 to 94980	
NC&StL Trash.....	95000, 95001	
NC&StL Dump.....	95100, 95101, 95129	
NC&StL Ballast.....	97007 & 97010, 97110 to 97145	
NC&StL Brake Car.....	98100, 98101	
Total NC&StL.....		299
Grand Total Work Equipment.....		2485

RECAPITULATION.

Total Passenger Equipment.....	530
Total Freight Equipment.....	58,899
Total Cabooses.....	551
Total Work Equipment.....	2485
Grand Total.....	62,465

F. W. KIRCHNER,
Superintendent of Transportation.

H. G. WHITE,
Superintendent of Car Service.