

LOUISVILLE AND NASHVILLE RAILROAD COMPANY

FREIGHT, PASSENGER AND WORK EQUIPMENT

JANUARY 1, 1962

This List Supersedes all Others of Previous Date

LOUISVILLE AND NASHVILLE RAILROAD COMPANY

OFFICE OF MANAGER-CAR ACCOUNTING.

Louisville, Ky., Jan. 1, 1962
File 10

The Equipment of this Company is Marked "L. & N." and "N. C. & St. L." and Numbered as follows:

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars									
		Inside			Outside						Doors			Cubic Feet	Pounds										
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End													
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.		ft. in.	ft. in.							
Box, steel.....	4000 to 7199	40	6	9	2	10	6	41	10	9	4	14	5	15	15	8	9	10	3,899	100000	2931		
" "	7200 to 7424	40	6	9	2	10	6	41	10	9	4	14	3	15	15	8	9	10	3,899	100000	212		
" " Note A..	7425 to 7433	40	6	9	2	10	6	41	10	9	4	14	3	15	15	7	11	9	10	3,899	100000	9	
" " Note B..	7494 to 7499	40	6	9	2	10	6	41	10	9	4	14	5	15	15	7	11	9	10	3,899	100000	6	
Vent Box, steel underframe, steel ends, steel body frame.....	7503 & 7505	40	6	8	6	8	6	42	3	8	11	12	10	13	4	13	4	6	8	1	2,936	100000	2
Vent Box, steel.....	7510	40	6	9	2	10		42	6	9	2	14	3	14	7	14	7	6	9	4	3,713	100000	1
Box, steel underframe, steel ends, steel body frame.....	7522 & 7524	40	6	8	6	8	6	42	6	8	11	12	11	13	4	14		6	8	2,926	100000	2	
" " " " " "	7527 & 7530	40	6	8	6	8	6	42	3	8	11	12	10	13	4	14		6	8	1	2,936	100000	2
Box, steel, underframe, steel ends, steel body frame, stag doors.....	7531 & 7536	40	6	9		10		42	3	9	3	14	5	14	10	15	6	12	9	6	3,645	100000	2
" " " " " "	7538	40	6	9		10		42	3	9	5	14	5	14	10	15	6	10	9	7	3,620	100000	1
Box, steel underframe, steel ends, steel body frame.....	7576 to 7910	40	6	8	6	8	6	42	3	8	11	12	10	13	4	13	4	6	8	1	2,936	100000	4
Box, steel.....	8750 to 8099	40	6	9	2	10	6	41	10	9	4	14	3	15	15	9	9	10	3,899	100000	250		
" "	13000 to 13373	40	6	8	9	9	4	41	9	9	13	1	14	14	6	8	9	3,311	80000	71			
" "	13400 to 13884	40	6	9	2	10		41	9	9	4	13	11	14	6	14	6	6	9	4	3,714	80000	96
" "	13950 to 14592	40	6	9	2	10	6	41	10	9	10	13	11	15	15	6	9	10	3,888	100000	97		
" "	14600 to 14999	40	6	9	2	10	6	41	10	9	4	14	5	15	15	6	9	10	3,899	100000	395		
" "	15000 to 16799	40	6	9	2	10	6	41	9	9	4	14	4	15	15	6	9	10	3,899	100000	1740		
" "	16800 to 18399	40	6	9	2	10	6	41	10	9	4	14	5	15	15	6	9	10	3,899	100000	1564		
" "	18400 to 18888	40	6	9	2	10	6	41	10	9	5	14	5	15	15	6	9	10	3,899	100000	112		
Stock, steel underframe (leased).....	19400 to 19474	40	4	8	7	7	8	42		9	8	12	6	12	11	14	4	6	7	4	2,631	80000	75
Stock, steel underframe, steel body frame	19500 to 19699	40	6	8	7	8	6	42	3	9	1	12	6	13	3	14		6	8	1	2,974	80000	10
Pulpwood, Steel..	19800 to 19999	38	4	8	8	7		43	4	8	8	11	2	11	2	2,320	100000	200		
" steel underframe	20283 to 20299	34		8	10		37	8	8	10	11	7	80000		
Pulpwood, steel.....	20500 to 20949	38		8	8	7		43	4	8	8	11	1	11	1	2,306	100000	450		
" " " " " "	20950 to 20981	38		8	8		43	3	8	8	11	100000		
Flat steel.....	21000 to 21399	52	1	9	2		54	2	10	6	3	8	3	8	5	3	100000	304	
" "	21400 to 21499	52	1	9	4		54	3	9	4	3	8	3	8	4	11	100000	100	
" "	22000 to 22249	45	5	9	4		47	7	9	7	3	9	3	9	5	9	100000	240	
Pulpwood, steel..	23000 to 23699	41	6	9	2	8		48		8	8	12	5	12	5	2,875	140000	695		
Flat, steel Note C	24000 to 24004	48	6	10		8	2	55	2	10		4	2	12	5	4,001	140000	5		
Wallboard, Flat, Steel.....	24100 to 24148	53	6	10	6		54	2	10	6	3	8	3	8	10	1	100000	
Flat, steel underframe	24200 to 24293	40	4	9			40	9	9		3	8	6	3	100000		
" " " " " "	24297 to 24299	40	4	9			40	9	9		3	8	6	3	100000	3		
Flat steel.....	24300 to 24819	45	5	9	4		47	7	9	7	3	9	3	9	5	9	100000	472	
Wallboard, Flat, Steel.....	24825 to 24849	48	6	10	6	6	6	54	2	10	6	10	2	10	2	100000	25		
Tote, Flat, Steel	24875 to 24891	53	6	10	6		54	2	10	6	3	8	3	8	5	3	100000	17	
Wallboard, Flat, Steel.....	24900 to 24917	48	6	10	6	6	6	54	2	10	6	10	2	10	2	100000	18		
Tote, Flat, Steel	24920 to 24949	46	9	10	6		47	7	10	6	3	9	5	4	100000	30		
Flat, steel, Note ..E	24950 and 24951	40	8	9	4		43	3	9	7	3	9	3	9	5	9	155000	2	

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars.		
		Inside			Outside						Doors			Cable Feet	Pounds			
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail			Side		End						
							ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	To Eaves	To Top of Platform or Running Board	To over all		Width	Height
Wallboard, Flat, Steel, Note F..	24957 to 24989	48 6	9 2 10 6	6 6	54 2	10 6	10 2	10 2	100000	33
Flat, depressed steel, Note G.....	24996 and 24997	57 9	9	58 4	9	9	4 2	5 10	250000	2
Pit, steel, Note H.....	24998	15	7 10 8 10	2 6	35 9	10	4	4	6 1	358 100000	1
Mill, gondola, low-side, steel, drop ends, Note J.....	25000 to 25099	65 6	7 9	3 6	68 1	8 7	7 1	7 1	1,776 140000	99
" " " " Note J.....	25100 to 25299	65 6	7 9	3 6	67 4	8 7	7	7 2	1,776 140000	199
Mill, Gondola, all steel low side, drop ends.....	25300 to 25799	45	9 6	3	47 7	10 4	6 6	6 6	6 6	1,282 140000	191
Mill, Gondola, low sides, steel under-frame, drop ends.	25803	45	8 11	2 6	47 7	9 4	6 3	6 3	6 3	1,011 100000	1
Mill, Gondola, low side, steel, balanced drop ends.....	26000 to 26199	65 6	7 9	3 6	68 1	8 6	7	7	1,776 140000	199
Mill, Gondola, steel, drop ends.....	26200 to 26224	65 6	7 9	3 6	67 4	8 6	7	7 2	1,777 140000
Gondola, steel Note K.....	26260 to 26262	45	9 6	4	47	10 5	7 7	12 1	1,710 140000	3
Mill Gondola, steel, Note K.....	26263 to 26269	52 6	9 6	3 3	54 5	10 5	7	7	12 3	1,632 140000	7
Mill, Gondola, steel, Note L.....	26285 to 26288	52 6	9 6	3 3	54 5	10 5	7	7	9 10	1,632 140000	4
Mill, Gondola, steel, Note K.....	26295 to 26297	52 6	9 6	3 3	54 5	10 5	7	11 3	1,632 140000	3
Mill, Gondola, steel, Note K.....	26298 & 26299	52 6	9 6	3 3	54 5	10 5	7	12 3	1,632 140000	2
Mill, Gondola, low sides, steel under-frame, drop ends.....	26300 to 26999	38 1	8 7	1 6	40 4	9 1	5 5	5 5	5 11	497 100000	8
Gondola, solid ends, solid bottom, steel....	29000 to 29949	40 6	9 5	4 7	42 2	10 3	8 1	8 1	1,765 100000	105
Sludge Gon, Steel.	29951 to 29999	40 6	9 5	4 7	42 2	10 3	8 1	8 1	1,765 100000	49
Coke, steel.....	30550 to 30699	40 6	9 4	9 3	41 9	9	13	13 6	{3 3 6 0	{5 1 6 8}	3,487 100000	149
Chipwood Hopper Steel...	30873 to 30999	34	10 1	35 1	10 3	15 6	15 6	3,620 100000	127
Coal Hopper steel	32000 to 33999	33	10 4	34	10 5	10 8	11 11	2,145 100000	1949
" " steel	34000 to 35999	34 11	9 7	36	10 5	10 8	11 11	2,142 100000	1963
Gondola, solid bottom and ends, steel.....	36000 to 37099	45	9 6	4	47	10 5	7 7	7 7	1,710 140000	1083
Covered Hopper, steel.....	37400 to 37507	41	9 11	47 1	10 8	12 7	13 3	13 3	3,215 140000	108
" " "	37508 to 37549	41	9 11	47 1	10 7	12 3	13 1	13 2	3,200 140000	42
" " "	37550 to 37749	41	9 9	47 1	10 5	12 1	12 11	12 11	2,927 140000	199
" " "	37750 to 37849	41	9 5	47 1	10 2	12 2	13 1	13 2	2,893 140000	100
" " "	37850 to 38074	29 3	9 5	35 3	9 9	12 2	12 10	13 2	1,892 140000	223
" " "	38075 to 38299	29 3	9 5	35 3	9 10	12 6	12 10	13 2	1,892 140000	223
" " "	38300 to 38524	29 3	9 5	35 3	9 7	12 3	12 10	12 10	1,958 140000	186
" " "	38525 to 38539	35	9 8	36	10 5	10 8	11 7	11 7	2,143 100000	1
" " "	38540 to 38554
" " "	38560 to 38599
" " "	38600 to 38639	41	9 11	51 1	10 8	13 4	14	14 3	3,506 200000	40
Aluminum.....
Mill Gondola, steel, drop ends.....	38900 to 38999	65 6	7 9	3 6	68 1	8 6	7	7 1	1,776 140000	100
Mill, Gondola, steel, fixed ends.....	39000 to 39499	52 6	9 6	3 3	54 6	10 5	7 1	7 1	1,637 140000	488
Mill Gondola, steel, fixed ends, nailable steel floors.....	39500 to 39749	52 6	9 6	3 3	54 5	10 5	7	7	7	1,632 140000	236
Mill Gondola, steel, fixed ends, composite floor.....	39750 to 39999	52 6	9 6	3 3	54 5	10 5	7	7	7	1,632 140000	208
Box, steel Note M.....	46000 to 46099	40 6	9 4	10 5	41 10	9 5	14 3	15 1	15 1	8	9 10	3,933 100000	100
Auto, Steel, Stag Doors Note N.....	46400 to 46549 Loading Device "F" and "F4"	40 6	9 2	10 6	41 9	9 4	14 4	15	15	14	9 10	3,899 100000	127

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS														CAPACITY		Number of cars.										
		Inside			Outside						Doors					Cubic Feet	Pounds											
		Length	Width	Height	Length	Width at Eaves or Plat-form	Height from Rail			Side		End																
							To Eaves	To Top of Plat-form or Running Board	To over all	Width	Height	Width	Height	Width	Height													
ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.													
L&N See Note DD	46600 to 46799	40	6	9	2	10	6	41	10	9	10	14	15	15	8	9	10	3,899	100000	200						
	46800 to 46899	40	6	9	4	10	5	41	10	10		14	3	15	1	15	1	8	9	10	3,948	100000	100			
	46900 to 46999	40	6	9	2	10		42	3	9	2	14	3	14	8	14	8	12	6	9	5	9	2	9	8	3,713	100000	57
	47000 to 47499	42	9	5	4	8	43	5	10	3	8	2	8	2	1,848	100000	70					
	47500 to 47991	42	9	5	4	8	43	5	10	3	8	2	8	2	1,848	100000	59					
	48000 to 48145	42	9	5	4	8	43	5	10	3	8	2	8	2	1,848	100000	8					
	48200 to 49999	40	6	9	5	4	7	42	2	10	3	8	1	8	1	1,765	100000	106						
	50000 to 56499	40	6	9	5	4	7	42	2	10	3	8	1	8	1	1,765	100000	247						
	56500 to 56699	40	1	9	6	2	2	42		10	5	5	9	5	9	825	100000	200						
	56700 to 56713	45		9	6	4		47		10	5	7	7	9	6	1,710	140000	14						
	56725 to 56746	52	8	9	6	3	3	54	6	10	5	6	11	12	7	1,637	140000	22						
	56790 to 56799	52		9	3	5	1	54	6	10	5	8	11	8	11	2,465	140000	10						
	56933 to 56964	52	1	8	8	7	0	54	5	10	6	8	3	11	3	2,031	140000						
	56965 to 56999	52	1	8	10	4	6	54	5	10	3	8	3	8	3	2,004	140000	34						
	56998	45		9	3	4	4	47		10	5	7	7	7	7	2,112	140000	1						
	57000 to 57249	29	8	9	7	36		10	5	10	8	10	8	1,629	180000	243						
	57400 to 59999	40	6	9	5	4	7	42	2	10	3	8	1	8	1	1,765	100000	18						
	60000 to 62699	33		10	4	34	1	10	5	10	8	10	8	2,145	100000	1118						
	62700 to 63899	33		10	4	34	1	10	5	10	8	11	11	2,145	100000	447						
	63900 to 71149	33		10	4	34		10	5	10	8	11	11	2,145	100000	4646						
	71150 to 71391	33		9	10	34		10	5	10	8	10	8	2,050	100000	237						
	71392 to 72129	33		9	10	34	0	10	5	10	8	11	11	2,046	100000	735						
	72200 to 72399	33		10	4	34		10	5	10	8	11	11	2,191	100000	62						
	72999 to 74999	42	10	9	8	43	10	10	6	10	8	11	11	2,750	140000	1987						
	75152	30	6	9	5	31	11	10	4	10	8	10	8	1,880	100000	1						
	76002 & 76027	30	6	9	5	31	11	10	4	10	8	11	4	1,880	100000	2						
	76150 to 81949	33		10	4	34		10	5	10	8	11	11	2,145	100000	5625						
	81950 to 82199	33		10	4	34		10	5	10	8	10	8	2,145	100000	161						
	82200 to 85199	35		9	7	36		10	5	10	8	12	2,143	100000	2962						
	85200 to 85582	35		9	8	36		10	5	10	8	10	8	2,143	100000	95						
	85600 to 85648	34	9	10	1	36		10	2	10	8	10	8	2,230	100000	9						
	86106 & 87145	30	6	9	5	31	11	10	4	10	8	10	8	1,880	100000	2						
	88000 to 88995	33		10	4	34		10	5	10	8	10	8	2,145	100000	511						
	90000 to 91343	40	6	9	2	10		41	9	9	5	13	8	14	6	14	6	6	9	4	3,713	100000	1304			
	91350 to 91360	40	6	9	2	10	6	41	9	9	5	14	4	15		15		14	9	10	3,899	100000	20			
	93000 to 94199	40	6	9	2	10		42	6	9	2	14	3	14	7	14	7	6	9	4	3,713	100000	220			
	94200 to 95541	40	6	9	2	10		42	3	9	2	14	3	14	7	14	7	6	9	4	3,713	100000	255			
	95800 to 97091	40	6	9	2	10		42	6	9	2	14	3	14	7	14	7	6	9	4	3,713	100000	475			
	97100 to 97199	50	6	9		10	5	53	1	9	4	14	3	15		15		9	9	9	4,731	100000	99			
	97200 to 97309	50	6	9		10	5	53	1	9	4	14	3	15		15		9	9	9	4,770	100000	109			
	97310 to 97349	50	6	9		10	5	53	1	9	4	14	3	15		15		15	9	9	4,770	95000	39			
	97350 to 97399	50	6	9	2	10	5	51	10	9	5	14	3	15	1	15	1	9	9	10	4,853	100000	50			
	97400 to 97424	50	6	9	2	10	5	51	10	9	6	14	2	15	1	15	1	15	9	10	4,821	95000	25			
	97425 to 97434	50	6	9	2	10	5	51	10	9	6	14	2	15	1	15	1	15	9	10	4,821	100000	10			
	97460 to 97499	50	6	9	3	10	5	51	10	9	6	14	2	15	1	15	1	15	9	10	4,863	100000	40			
	97500 to 97549	50	6	9	2	10	5	53	6	9	6	14	2	15	1	15	1	15	9	10	4,821	95000	50			
	97800 to 97899	50	6	9	4	10	5	53	6	9	6	14	2	15	1	15	1	9	9	10	4,923	100000	100			
	97900 to 97999	50	6	9	4	10	5	51	10	9	6	14	2	15	1	15	1	15	9	10	4,923	100000	100			

FREIGHT EQUIPMENT

KIND OF CAR	CAR NUMBERS	DIMENSIONS												CAPACITY		Number of cars												
		Inside			Outside					Doors				Cubic Feet	Pounds													
		Length	Width	Height	Length	Width at Eaves or Platform	Height from Rail		Side		End																	
ft. in.	ft. in.						ft. in.	ft. in.	ft. in.	To Eaves	To Top of Platform or Running Board	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.	ft. in.											
L&N	See Note DD																											
Box, steel.....	98000 to 98024	50	6	9	4	10	5	51	10	9	6	14	2	15	1	15	1	15		9	10	4,923	100000	25		
" "	98025 to 98049	50	4	9	4	10	5	51	10	9	6	14	2	15	1	15	1	15		9	10	4,911	100000	25		
" "	98050 to 98074	50	6	9	4	10	5	51	10	9	6	14	2	15	1	15	1	15		9	10	4,922	100000	24		
Box, steel, stag door	98100 to 98599	50	6	9	2	10	6	51	10	9	4	14	3	15		15		15		9	10	4,844	100000	477		
Box, steel, stag door	98600 to 99099	50	6	9	2	10	6	51	10	9	4	14	5	15		15		12	6	9	10	4,844	100000	496		
Box, steel, stag doors..	99100 to 99199	50	6	9	2	10	4	51	9	9	5	14	3	14	11	14	11	12	6	9	9	4,784	100000	98		
Box, steel, stag door	99200 to 99499	50	6	9	2	10	6	51	10	9	4	14	5	15		15		12	6	9	10	4,844	100000	298		
Auto, steel stag doors.	99500 to 99549 Loading Device "F"	50	6	9	2	10	6	51	9	9	4	14	4	15		15		15		9	10	4,862	100000	19		
Box, " " " Note AA	99550 to 99559	50	6	9	1	10	6	51	9	9	4	14	4	15		15		15		9	10	4,860	100000	10		
Auto, steel, stag doors.....	99580 to 99599 Loading Device "F"	50	6	9	2	10	6	51	10	9	4	14	3	15		15		15		9	10	{4,844}	100000	20			
Box, steel.....	99600 to 99638	50	6	9	2	10	6	51	9	9	4	14	4	15		15		15		9	10	4,844	100000	17		
" " Note BB.....	99650 to 99652	50	6	9	2	10	6	51	9	9	4	14	4	15		15		15		9	10	4,844	140000	3		
Box, steel, stag door and end doors.....	99800 to 99999	50	6	9	2	10	4	52		9	5	14	3	14	11	14	11	12	6	9	9	9	2	10	4,784	100000	190	
Coal Hopper, steel	115000 to 119999	33		9	9		34	1	10	8	11		11	11	2,020	100000	3685		
" " "	120000 to 128399	33		9	9		34	1	10	8	11		11	11	2,020	100000	229		
Coal hopper, steel..	150000 to 156149	42	10	9	8		43	10	10	6	10	8		11	11	2,750	140000	6132		
Mill Gondola, steel	170000 to 171799	52	6	9	6	3	3	54	6	10	5	6	11		6	11	1,637	140000	1778		
Coal hopper, steel....	180000 to 185999	30	6	9	5		31	11	10	2	10	8		10	8	1,880	100000	3		
Coal hopper, steel....	186000 to 186299	34	10	1			35	1	10	3	10	8		10	8	2,092	100000	75		
" " "	190000 to 190099					200000	
" " "	190100	49	4	9	8		50	5	10	6	12	9		12	9	3,453	200000		
" " "	190101	49	6	9	7		50	6	10	7	12			12		3,835	198000		
" " "	190102	49	4	9	7		50	2	10	6	13	0		13	0	3,783	192000		
Total L&N (Incl. Leased Stock Cars).....																											55190	
NC&StL																												
Box, steel.....	17836	39	6	9	2	9	4	40	9	9	5	13	2	13	11	14		6		8	9	3,350	100000	1		
" "	18000 to 18499	40	6	8	9	9	4	41	9	9		13	1	14		14		6		8	9	3,311	80000	250		
" "	18500 to 18999	40	6	9	2	10		41	9	9	4	13	11	14	6	14	6	6		9	4	3,714	80000	381		
" "	19000 to 19499	40	6	9	2	10	6	41	10	9	5	14	5	15		15		6		9	10	3,899	100000	370		
" "	20000 to 21229	36	3	9	2	9	10	38		9	3	14	2	14	9	14	9	6		9	2	3,275	80000	9		
" "	22000 to 22649	40	6	9	2	10	6	41	10	9	10	13	11	15		15		6		9	10	3,888	100000	540		
Mill Gondola, steel, drop ends	41000 to 41024	65	6	7	9	3	6	67	4	8	6	7		7	2	1,777	140000	25	
Gondola, steel, solid ends, solid bottom...	42444	41	6	9	5	4	10	42	10	10	3	8	3		8	3	1,900	100000	1	
" " " " "	43200 to 43349	42		9	5	4	8	43	5	10	3	8	2		8	2	1,848	100000	32	
" " " " "	43500 to 43999	42		9	5	4	8	43	5	10	3	8	2		8	2	1,848	100000	421	
Gondola, steel, solid ends: solid bottom..	44000 to 44499	42		9	5	4	8	43	5	10	3	8	2		8	2	1,848	100000	410	
Coal Hopper, steel.....	46500 to 46999	35		9	8		36		10	5	10	8		10	8	2,143	100000	287	
Covered Hopper, Note CC.....	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	" " " " "	14
Coal Hopper, steel.....	47124	30	6	9	5		31	11	10	4	10	8		11	4	1,880	100000	1	
" " " Note EE	47500 to 47999	33		10	4		34		10	5	10	8		10	8	2,145	100000	291
" " " "	48000 to 48049	34	9	10	1		36		10	2	10	8		10	8	2,230	100000	4
" " " "	48100 to 48299	33		10	4		34		10	5	10	8		11	11	2,191	100000	9
" " " "	48300 to 48799	33		10	4		34		10	5	10	8		10	8	2,145	100000	166
Covered Hopper, steel	49000 to 49224	29	3	9	5		35	3	9	7	12	3	12	10	12	10	1,958	140000	38
Flat, steel underframe....	70100 to 70299	40	4	9			40	9	9		3	8		6	3	100000	16	
Pulpwood, steel underframe....	80000 to 80016	34		8	10		37	8	8	10		11	7	80000	3		
Pulpwood, steel..	80500 to 80531	38		8	8		43	3	8	8		11	100000	32		
Total NC&StL.....																											3301	
Grand Total Freight.....																											58491	

FREIGHT EQUIPMENT

Note A—Cars in series L&N 7425 to 7433 have 40 special racks suitable for automobile transmissions.

Note B—Cars in series L&N 7494 to 7499 are equipped with permanent racks for caskets.

Note C—Cars in series L&N 24000 to 24004 are equipped with permanent end bulkheads and chains with load binders for lumber shipments.

Note D—Cars in series L&N 24297 to 24299 are equipped with two (2) removable covers to protect airplane parts.

Note E—Flat cars Nos. L&N 24950 and 24951 are equipped with wood loading floor and have 2 six-wheel trucks. Spacing between trucks 28 ft. 6 in.; between axles 4 ft. 6 in. These cars may not be loaded in excess of 190,500 pounds concentrated at the center of car. This load cannot be concentrated on either side of center line of car.

Note F—Cars in series L&N 24957 to 24964 and 24975 to 24977 do not have end lockers.

Note G—Dimensions of depressed center cars Nos. L&N 24996 and 24997 are as follows: length of depressed section 21 ft., width of depressed section 9 ft., height of depressed section above top of rail 2 ft., height of ends of car above rail 4 ft. 2 in., width of ends 9 ft. This car is equipped with cast steel loading floor and has 2 six-wheel trucks. Spacing between truck centers 41 ft.; between axles 4 ft. 6 in.; and is designed to carry a load equivalent to the load limit over a distance of 18 ft. at center of car.

Note H—Dimensions of pit of Car No. L&N 24998 are as follows: length 14 ft. 8 in.; width 7 ft. 10 in.; depth 2 ft. 6 in.; height from top of rail to bottom of pit floor 10 $\frac{1}{2}$ in., to top of floor 1 ft. 4 $\frac{1}{2}$ in. This car is equipped with steel loading floor and has 2 four-wheel trucks. Spacing between truck centers 24 ft. 6 in.; between axles 5 ft. 6 in.

Note J—Cars in series L&N 25000 to 25099 and 25100 to 25299 should be loaded as follows:

Length of Load	Percentage of Stenciled Load Limit
18 ft. or Less.....	61% Maximum
Over 18 ft. to 24 ft.....	72% "
Over 24 ft. to 44 ft.....	77% "
Over 44 ft.....	100% "

Note K—Cars numbered L&N Series 26260 to 26262, 26263 to 26269, 26295 to 26297, 26298 and 26299 are equipped with special permanent blocking and steel quonset type covers for loading coiled sheet steel.

Note L—Cars numbered L&N 26285 to 26288 are equipped with 9 ft. 10 in. (clear opening) sliding type side doors.

Note M—Cars in series L&N 46000 to 46099 and 46800 to 46899 are equipped with Evans 19-belt "DF"-2 loader equipment.

Note N—Individual numbers of cars in series L&N 46400 to 46549 equipped with type "F4" Evans Automobile Loading Devices. Other cars in this series are equipped with type "F" Evans Automobile Loading Devices.

46400	46413	46432	46453	46469	46481	46502	46521	46536	46542
46401	to	46437	46456	46470	46482	46507	46522	46537	46544
46403	46417	46439	46457	46472	46485	46508	46526	46538	46545
46406	46419	46443	46459	to	46488	46512	to	46540	46547
46408	46421	to	to	46475	46491	46514	46529	46541	46548
46409	46422	46446	46462	46477	46493	to	46531		
46410	46424	46448	46468	46480	46500	46519	46532		

Note P—Cars in series L&N 46600 to 46799 are equipped with Evans type 19-belt "DF"-2 loader equipment for handling electric appliances.

Note Q—Cars in series L&N 56700 to 56713 are equipped with ten (10) demountable containers: Capacity of each container 145 cu. ft., light weight of each container 2,030 pounds.

Note R—Cars in series L&N 56725 to 56746 are equipped with eleven (11) removable containers having open tops and drop bottoms: Capacity of each container 300 cu. ft., light weight of each container 3,000 pounds.

Note S—Cars in series L&N 56790 to 56799 have 7 rows of Sparton Tri-Belts.

Note T—Cars in series L&N 56933 to 56964 and 56965 to 56999 except 56998 have 4 movable bulkheads and 3 sectional removable roof covers.

Note U—L&N 56998 has removable roof covers and six rows of Evans "DF-2" belt rails. Car is equipped with wood floor and ends lined with wood.

Note V—Cars numbered L&N 97100 to 97199, 97200 to 97309 and 97350 to 97399 are equipped with Evans type 9-belt "DF" loader equip.

Note W—Cars in series L&N 97310 to 97349, 97400 to 97424 and 97425 to 97434 are equipped with Evans 7 adjustable "DF" loading belts.

Note X—Cars in series L&N 97460 to 97499 are equipped with 9 rows of Sparton SEL Loader Belts.

Note Y—Cars in series L&N 97500 to 97549 have Hydra-Cushion Underframe and 9 rows of Evans DF Loader Belts.

Note Z—Cars in series L&N 97800 to 97899 have Hydra-Cushion Underframe and 108 Lading Tie Anchors.

Note AA—Cars in series L&N 99550 to 99559 are equipped with DF type 18 adjustable belt equipment for handling Ford Motor Co. body parts.

Note BB—Cars in series L&N 99650 to 99652 are each equipped with 34 containers for handling ferro alloys, capacity of each container 3,500 pounds, light weight 370 pounds. Containers are interchangeable with an equal number of the same kind of containers of shippers and consignees.

Note CC—Individual numbers of covered hopper cars in series NC&StL 46500 to 46899:

46518	46550	46554	46561	46564	46567	46570	46610
46545	46552	46556	46563	46565	46569	46602	

Note DD—It is proposed to remark and renumber NC&StL freight equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
18000-18499	to 13000-13373	43200-43399	to 48000-48145	46500-46899	to 85200-85582	48300-48799	to 88500-88995
18500-18999	13400-13884	43500-43999	47500-47991	46500-46899	} 38525-38539	49000-49224	38300-38524
19000-19499	18400-18888	44000-44499	47019-47490	covered hopper		47500-47999	70100-70229
22000-22649	13950-14592			48000-48049	88000-88494	80000-80016	20283-20299
41000-41024	26200 26224			48100-48299	85600-85648	80500-80531	20950-20981
					72200-72397		

Note EE—Three (3) cars in series NC 47500 to 47999 equipped with roof covers 47586, 47609, 47926 and will be renumbered L&N 88492 to 88494.

RECAPITULATION OF FREIGHT EQUIPMENT.

CLASS OF CAR	Inside Length		Pounds 80,000	Pounds 95,000	Pounds 100,000	Pounds 140,000	Pounds 155,000	Pounds 180,000	Pounds 200,000	Pounds 250,000	Total	Grand Total
	ft.	in.										
Box, Steel.....	36	3	9								9	14061
Box, Steel.....	39	6			1						1	
Box, Steel Underframe.....	40	6			11						11	
Box, Steel.....	40	6	798		10957						11755	
Box, Steel.....	50	4			25						25	
Box, Steel.....	50	6		114	2143	3					2260	
Auto, Steel.....	40	6			127						127	166
Auto, Steel.....	50	6			39						39	
Vent Box, Steel Underframe.....	40	6			2						2	3
Vent Box, Steel.....	40	6			1						1	
Stock, Steel Underframe (Leased).....	40	4	75								75	85
Stock, Steel Underframe.....	40	6	10								10	
Pulpwood, Steel Underframe.....	34		3								3	1380
Pulpwood, Steel.....	38				482						482	
Pulpwood, Steel.....	38	4			200						200	
Pulpwood, Steel.....	41	6				695					695	
Flat, Steel Underframe.....	40	4			19						19	1268
Flat, Steel.....	42	6					2				2	
Flat, Steel.....	46	9			742						742	
Flat, Steel.....	48	6			76	5					81	
Flat, Steel.....	53	6			421						421	3748
Flat, Steel.....	57	9							2		2	
Flat Pit, Steel.....	15				1						1	
Mill Gon, Steel Underframe.....	38	1			8						8	2657
Mill Gon, Steel.....	40	1			200						200	
Mill Gon, Steel Underframe.....	45				1						1	
Mill Gon, Steel.....	45					191					191	
Mill Gon, Steel.....	52	6				2726					2726	36
Mill Gon, Steel.....	65	6				622					622	
Gondola DB, Steel.....	40	6			265						265	2657
Gondola SB, Steel.....	40	6			260						260	
Gondola SB, Steel.....	41	6			1						1	
Gondola SB, Steel.....	42				1000						1000	
Gondola SB, Steel.....	45					1087					1087	3394
Gondola SB, Steel.....	52					10					10	
Gondola SB, Steel.....	52	1				34					34	
Gondola, Container, Steel.....	45					14					14	
Gondola, Container, Steel.....	52	6				22					22	1174
Coal Hopper, Steel.....	30	6			9						9	
Coal Hopper, Steel.....	33				19871						19871	3394
Coal Hopper, Steel.....	34				75						75	
Coal Hopper, Steel.....	34	9			13						13	
Coal Hopper, Steel.....	34	11			1963						1963	
Coal Hopper, Steel.....	35				3344						3344	127
Coal Hopper, Steel.....	42	10				8119					8119	
Chipwood Hopper, Steel.....	34				127						127	1174
Covered Hopper, Steel.....	29	3				670					670	
Covered Hopper, Steel.....	35				15						15	149
Covered Hopper, Steel.....	41					449			40		449	
Covered Hopper, Aluminum.....	41								40		40	243
Coke, Steel.....	40	6			149						149	
Ore, Steel.....	29	8						243			243	
Totals.....			895	114	42548	14647	2	243	40	2	58491	58491

CABOOSES

Serial Number	Construction	Type	Number Owned
L&N 3 to 228.....	Steel Underframe.....	Standard.....	136
L&N 230 to 259.....	Steel Underframe.....	Terminal.....	26
L&N 260 to 289.....	Steel Underframe.....	Mine Run.....	24
L&N 318.....	Steel Underframe.....	Standard.....	1
L&N 320 to 379.....	Steel Underframe.....	Bay.....	20
L&N 390 to 549 (2-Way Radio).....	Steel Underframe.....	Standard.....	137
L&N 551 to 598.....	Steel Underframe.....	Standard.....	41
L&N 600 to 612 (2-Way Radio).....	Steel Underframe.....	Standard.....	1
L&N 623 to 788.....	Steel Underframe.....	Standard.....	30
L&N 850 to 949.....	Steel Underframe.....	Standard.....	83
L&N 998 & 999.....	Steel Underframe.....	Standard.....	2
NC&StL 1 to 20.....	Steel Underframe.....	Standard.....	4
NC&StL 30 to 43.....	Steel Underframe.....	Standard.....	7
NC&StL 86 to 88.....	Steel Underframe.....	Bay.....	3
NC&StL 90 to 99.....	Steel Underframe.....	Bay.....	6
NC&StL 100 to 139.....	Steel Underframe.....	Bay.....	17
NC&StL 150 to 164.....	Steel Underframe.....	Bay.....	8
Total			546

PASSENGER.

A. A. R. Mech. Desig.	MARKINGS AND KIND OF CARS	Car Numbers or Names	Seating Cap'y	Length of Comp't		Inside Length		No. of Cars
				Bag or Exp.	Mail	ft.	in.	
	"NC&StL"							
MA.....e	Postal, Steel.....	See Note D		ft.	ft.	ft.	in.	
PB.....e	Coach, Partition, Steel AC.....	603 to 610				60	2	5
PB.....e	Coach, Partition, Steel AC.....	610	68			69		1
PB.....e	Coach, Steel AC.....	611, 612	66			72	10	2
PB.....e	Coach, Steel AC.....	704 & 711	48			69	1	2
PB.....e	Coach, Steel AC.....	712	88			69	4	1
PB.....e	Coach, Steel AC.....	740 to 743	56			72	10	4
BE.....e	Baggage, Steel.....	905 to 909				70	4	4
BE.....e	Baggage, Steel.....	915 to 917				70	2	3
BE.....e	Baggage, Steel.....	922				69	4	1
BE.....e	Baggage, Steel.....	924, 925				72		2
BE.....e	Baggage, Steel.....	945				70	4	1
BE.....e	Baggage-Express, Steel.....	960				71	8	1
BE.....e	Baggage-Express, Steel.....	964				72	7	1
BE.....e	Baggage-Express, Steel (See Exceptions).....	969 to 977				70	4	4
BE.....e	Baggage-Express, Steel (Exceptions).....	973				69	4	1
BE.....e	Baggage-Express, Steel (Exceptions).....	974, 977				72	10	2
BE.....e	Baggage-Express, Steel (Exceptions).....	976				60	2	1
BE.....e	Baggage-Express, Steel.....	982 & 984				72	10	2
MB.....e	Baggage & Mail, Steel.....	1040		43	30	72	10	1
PB.....e	Coach, Steel AC.....	1100 to 1102	56			76	1	3
PBO.....e	Coach-Observation, Steel AC.....	1103	48			76	1	1
BX.....	Box-Express, Steel, Note C.....	18097 to 18498				40	6	6
PS.....e	Sleeping, Steel AC—12 Sections—1 Drawing Room.....							3
PS.....e	Sleeping, Steel AC—8 Sections—1 Drawing Room—2 Compartments.....							2
PS.....e	Sleeping, Steel AC—6 Roomettes—4 Bed Rooms—6 Open Sections.....							3
PS.....e	Sleeping, Steel AC—4 Roomettes—5 Bed Rooms—1 Compartment—4 Open Sections.....							2
	Total "NC&StL".....							59
	Grand Total Passenger.....							486

e—Electric Lighting.

o—Oil Lighting.

AC—Air Conditioned.

Seating capacity of coaches does not include middle or end smoking rooms or lounges.

Note A—Lighting facilities will be removed from this car when shopped for repairs.

Note B—These cars have baggage apartment at both ends of car separated by a room 5'-11" long. There is a passageway through the car. Baggage apartments 37'-6" on "A" end of car and 20'-9" on "B" end of car.

Note C—Individual numbers of NC&StL box express cars:

18097 18120 18263 18349 18481 18498

Note D—It is proposed to remark and renumber NC&StL passenger equipment as shown below:

Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.	Present NC&StL No.	Proposed L&N No.
503-510	to 1094-1099	915-917	to 1329-1331	973	to 1347	982-984	to 1343-1345
610-612	1913-1915	922	1327	974	1362	1040	1230
704-711	2524	924-925	1339-1340	975	1493	1100-1102	2589-2591
712	1888	945	1338	976	1353	1103-	2599
740-743	2585-2588	960-964	1355-1359	977	1363	18097-18498	1000-1005
905-909	1332-1336	969-972	1349-1352				

WORK EQUIPMENT.

L&N Business, Diesel Instr. Car, etc.....	350 to 375
L&N Wrecking Crane.....	40000 to 40021
L&N Sanding.....	40059 to 40080
L&N Brake Car.....	40097 to 40099
L&N Impact Demonstration Car.....	40550
L&N Diesel Spacer Car.....	40555
L&N Adjustable Loading Ramp (Flat).....	40560 & 40561
L&N Boarding.....	40100 to 40199, 40522 to 40525, 42000 to 42999
L&N Tank (Fuel Oil).....	40911 to 40987, 41400
L&N Water Tanks.....	40600 to 40640, 40644 to 40699, 41511, 41650 to 41825
L&N Trash.....	40988 to 40999
L&N, Tool, Flat, Pile Driver, Wrecking Cars, Scale, Spreader, etc.....	40053 to 40058, 40300 to 40344, 40580 to 40599, 40641 to 40643, 40700 to 40910, 41000 to 41599, 41633 to 41649, 41828 to 41999
L&N Dump.....	40200 to 40211, 41295
L&N Dump.....	41456, 41601 to 41632
L&N Ballast, Steel.....	45000 to 45026, 45080 to 45099, 45100 to 45199
L&N Ballast, Steel.....	45300 to 45999
Total L&N.....	2114
NC&StL Business, Diesel Instr. Car.....	714
NC&StL Pile Driver.....	90020
NC&StL Flat.....	90018, 90021, 90036, 90131, 90133, 90340 to 90355, 90382 to 90393, 94900 to 94941
NC&StL Locomotive Crane.....	90070 to 90089
NC&StL Tunnel Car.....	90180
NC&StL Tool.....	90215, 93000 to 93007, 94274 to 94343, 94550 to 94571, 94801 to 94898, 94992
NC&StL Water Tank.....	90300 to 90333, 90360 to 90375
NC&StL Boarding.....	94071 to 94232, 94358 to 94506, 94600 to 94729, 94975 to 94980
NC&StL Trash.....	95001
NC&StL Dump.....	95100, 95101, 95129
NC&StL Ballast.....	97116 & 97119
NC&StL Brake Car.....	98100, 98101
Total NC&StL.....	277
Grand Total Work Equipment.....	2391

TRAILER EQUIPMENT.

TYPE OF TRAILERS, OR CHASSIS	NUMBERS	State in which Licensed	DIMENSIONS						DOORS		CAPACITY		Light Weight Pounds	Type of Tie-Downs	Brakes - "A" or "V"	Axles - "S" or "T"	Electrical System (Volts)	King Pin Setting (Inches)	Spring deflection under Capacity Load (Inches)	Tire Size and Type of Wheel "B" or "D"	Total Trailers, Containers or Chassis
			INSIDE			OUTSIDE			Width of Open'g	Height of Open'g	Cubic Feet	Pounds									
			Length	Width	Height	Length	Width at Top	Ex-treme Height Empty													
TRAILERS			ft.	in.	ft.	in.	ft.	in.	ft.	in.	ft.	in.									
Van, Closed	TT-150, TT-151 TT-154 to TT-157	Ky.	33	5	7	8	34	8	12	2	7	7	7	7	40000	11375	A	T	6	30	6
Van, Closed	TT-175 to TT-184	Ky.	31	9	7	5	32	7	7	10	11	5	6	11	40000	10832	A	T	6	37	10
Open Top	TT-201, TT-204 TT-205, TT-207	Ky.	31	9	7	5	32	7	7	10	11	5	6	11	40000	10250	A	T	6	37	4
Flat Bed	TT-300, TT-301	Ky.	34	3	8	8	34	3	8	8	9	2	7	5	45000	9900	A	T	6	24	0
Convertible	TT-400 to TT-408	Ky.	35	7	7	5	35	3	7	11	12	5	7	5	50000	14650	A	T	6	36	3
Van, Closed	TT-501 to TT-510	Ky.	34	7	7	8	35	8	12	6	7	8	7	8	45000	11750	A	T	6	36	10
Van, Closed	TT-600 to TT-630	Ky.	39	7	7	8	40	8	12	6	7	8	7	8	45000	12700	A	T	6	36	40
Van, Closed	TT-700 to TT-710	Ky.	39	5	7	8	40	8	12	7	7	8	7	8	45000	13350	A	T	6	36	20
Convertible	TT-800 to TT-804	Ky.	34	10	7	8	35	8	8	8	7	8	7	11	50000	12700	A	T	6	36	0
Flexi-Van	TT-1000 to TT-1000	Ky.	39	6	7	8	40	8	12	6	7	8	8	8	48000	11800	A	T	12	36	10
LEASED TRAILERS																					
Open Top	TT-1200 to TT-1200	Ky.	39	6	7	8	40	8	12	6	7	8	8	8	48700	11200	A	T	6	36	10
Van, Closed	A-2100 to A-2124		39	6	7	8	40	8	12	6	7	8	8	8	50000	11720	A	T	6	36	25
Van, Closed	A-2125 to A-2149		39	2	7	8	40	8	12	6	7	8	8	8	50000	11720	A	T	6	36	25
Total																					185